MEDICINAL PLANT NAMES - SAMPLE EXCERPT-

By Steve Blake AHG, DSc, Master Herbalist

Available from LifeLong Press www.NaturalHealthWizards.com

Copyright 2004 Steve Blake

Introduction

This book is in two parts. **Part I** of this sample lists 81 of the 700 medicinal plants in the full book. These are followed by their botanical name, family name, foreign names, and other various names. Summaries of each medicinal plant are included for most of these plants.

Part II (page 18) will help find the common name of medicinal plants from an alternate name. This sample lists over 1100 of the 7930 names in the full book. Names including foreign, ethnic, alternate, botanical, and family names of medicinal plants are translated to the common name. The names are drawn from hundreds of books and other references from 35 different countries (see references page 41). Once a name has been translated into a common name, the common name can be looked up in **Part I**. In this electronic book, you may use the find feature (an icon like binoculars) to quickly go to any word or phrase.

Medicinal plants are now becoming more widely used by people all over the world. People understand the gentle strength of natural remedies. Doctors and scientists are validating the wisdom of traditional use. Because of the varied history of medicinal plants, the multitude of names has grown confusing. This cross-reference will help you to find the right plants. My hope is that this cross-reference will help people and professionals find medicinal plants that will heal.

In my 21 years of assembling a large database of alternative remedies I have often struggled with these names. It can take hours of research to learn if two different names belong to the same plant. Chinese names are especially difficult because of the different translations. For example, Dong Quai is known as Tang Kuei, Dan Gui, Dang Quai, Tang Kwei or Tang Kuei. The botanical name can be listed as Angelica Sinensis, Angelica Acutiloba, Angelica Polymorpha or Aralia Edulis. Even though some of these names may not use the latest terminology, to understand the texts that the references come from, the names need to be translated.

This name cross-reference is needed by doctors, sellers of medicinal plant products, nurses, librarians, researchers, schools, herbalists, and the public. One of the problems with traditional knowledge about medicinal plants is the lack of standardization of names. For most plants, there are many common names, foreign names, slang names, and alternate names. There is often more than one botanical name. Botanical family names help to differentiate between confusing common names.

This information was assembled from the master database, *Natural Healing Solutions*, available from www.NaturalHealthWizards.com. Although I do give a reference list in the back of this book, I recommend *Natural Healing Solutions* for its 122,000 detailed footnotes. The footnotes would make this volume unreadable and unwieldy if each were included.

Part I Medicinal Plants and their Names

Paederia Foetida

PAEDERIA FOETIDA is known by the following names: Chinese Flower Plant, Gandha Bhadulia - Bengali, Gandhali - Hindi, Gundali - Hindi, King's Tonic, Paederia Foetida, Prasarani - Sanskrit, Prasarni and Somraji - Sanskrit.

Palma Rosa Oil

PALMA ROSA OIL is known by the following names: Cymbopogon Martini, Mao Hsiang - China, Palma Rosa Oil and Palmaroza - Turkey.

Pansy

Summary: Pansy- Viola Tricolor- used as a remedy for epilepsy and asthma. Its properties are similar to the violet and it is considered to be beneficial in diseases of the heart and inflammation of the lungs and heart. Use caution as one author refers to it as poisonous. Major constituents: violine, mucilage, resin, sugar, salicylic acid and a bitter principle.

PANSY is known by the following names: Viola Tricolor. Field Pansy, Heartsease, Hercai Menekse - Turkey, Pansy, Pansy - Eurasia, Pansy - United States, Sansiki-sumire, Stiefmutterchen - Germany, Trinitaria - Spain, Viola Tricolor Arvensis, Viola Tricolor Vulgaris, Violaceae Family and Wild Pansy.

Parsley

Summary: Parsley- Petroselinum Sativum- native to the eastern Mediterranean. Part used: root, seeds and leaf. The seeds are most potent and used for promoting milk flow. Used as a natural diuretic, carminative, antiseptic, expectorant, antirheumatic and sedative. Valuable for spasms and as a mild laxative. The flavonoids of parsley are anti-inflammatory. Major constituents: starch, mucilage, sugar, volatile oil and apiin.

PARSLEY is known by the following names: Parsley, Petroselinum Sativum, Apiaceae/umbelliferae, Apium Petroselinum, Carrot Family, Carum Petroselinum, Garden Parsley, Madanos - Iraq, Petroselinum Sativum, Petroselinum Sp., Petroselinum Sativum, Rock Parsley and Umbelliferae Family.

Parsley Oil

PARSLEY OIL is known by the following names: Parsley Oil, Perejil - Spain, Petroselinum Hortense and Petroselinum Sativum.

Pashana Bheda

PASHANA BHEDA is known by the following names: Bergenea Ligulata, Pashana Bheda, Pashanbheda and Saxifragaceae Family.

Passion Flower

Summary: Passion Flower- Passiflora Incarnata- best used to help with sleep. If the fresh flowers are available, float them on water next to the bed for a wonderful sleep. A depressant to the motor side of the spinal cord. Slightly reduces arterial pressure while it increases the rate of respiration. Used to treat diarrhea, dysentery, neuralgia, sleeplessness and dysmenorrhea. Major constituents: passiflorine which is similar to morphine.

PASSION FLOWER is known by the following names: Passiflora Incarnata, Passion Flower. Caerulea, Carkifelek - Turkey, Charkhi Felek - Turkey, Maypop, Maypop - United States, Maypop Passionflower - Bermuda, Passiflora Quadrangularis, Passiflora Sp., Passifloraceae Family, Saat Gulu - Turkey, Ward Assaah - Iraq and Zahril Aalaam - Iraq.

Patchouli

Summary: Patchouli- Pogostemon Patchouli- used for diarrhea and nausea. Helpful with colds and fever. It causes loss of appetite, loss of sleep and can cause nervous attacks. Also used as an insect repellant. Major constituents: coerulein, stearoptene and cadinene.

PATCHOULI is known by the following names: Pogostemon Cablin. Agastache Rugosa Seu, Agastache Rugosus, Aromatic Bean Leaf, Herba Agastchis, Huoxiang, Kawa-midori, Korean Mint, Labiatae Family, Patchouli, Patchouly - Malaya, Sion and Sister-in-law's Mint.

Patchouli Oil

PATCHOULI OIL is known by the following names: Indrannanes - Malaysia, Kattam - India, Labiatae Family, Patchouli Oil, Patyori, Pogostemon Patchouli, Puchaput - India and Sion.

Pau D'arco

Summary: Pau D'arco- Tabebuia Avellinada- a immune system enhancer, especially for fungus. Used to treat parasites, age spots, arthritis, cancer, eczema, fever, immune deficiency, inflammation and toxemia. An antibiotic, alterative, bitter, antifungal, antipyretic for fevers, astringent and digestive. Major constituents: sitosterol, lapachol and chrysophanic acid.

PAU D'ARCO is known by the following names: Pau D'arco, Tabebuia Avellanedae. Bignoniacea Family, Bigoneaceae Family, Ipe Roxo, Lapacho, N.o. Bignoneaceae, Ochracea, Tabebuia Avellenada, Tabebuia Cassinoides, Tabebuia Ipe and Taheebo.

Peach Bark

Summary: Peach Bark- Prunus Persica- helpful with water retention and other kidney problems. Used as a

sedative, diuretic and expectorant. Major constituents: cyanogenetic glycosides.

PEACH BARK is known by the following names: Peach, Peach Bark, Prunus Persica and Rosaceae Family.

Peach Seed

Summary: Peach Seed- Prunus Persica- peach seeds express an oil useful as an emollient. Major constituents: glycerides of oleic acid with some palmitic and stearic glycerides, banzaldehyde and cyanhydrin.

PEACH SEED is known by the following names: Momo - Japan. Khokh - Iraq, Melocotonero - Spain, P Dauidi, Peach - Kentucky, Peach - United States, Peach Kernel, Peach Seed, Pecher - France, Persica, Pesco - Italy, Prunus Persica, Prunus Persica (L.) Batsch., Rosaceae, Rosaceae Family, Seftali Agaci - Turkey, Semen Persicae, Sheftali - Turkey, Tao - China, Tao Pi Chiu - China, Toin - Korean and Tonin - Japanese.

Pellitory of The Wall

Summary: Pellitory of The Wall- Parietaria Officinalis- native to Europe, including Britain. A diuretic and demulcent. Used to treat cystitis, pyelitis and dysuria as well as kidney stones. Major constituents: flavonoids, glucosides and rhamnosides of quercetin, kaempferol and isorhamnetin.

PELLITORY of THE WALL is known by the following names: Parrietoria Officinalis, Pellitory of The Wall and Urticaceae Family.

Pennyroyal

Summary: Pennyroyal- Mentha Pulegium- common to Britain, France and Germany. A carminative, diaphoretic, stimulant and emmenagogue. Used to treat colds, colic and dyspepsia. The oil is an insect repellent. The oil has been used to cause abortion. This is very dangerous and deaths have resulted. Major constituents: volatile oil, bitters and tannins.

PENNYROYAL is known by the following names: Mentha Pulegium, Pennyroyal. European Pennyroyal - Europe, Hedeoma Pulegiodes, Labiatae Family, Po Ho - China, Poleo - Chile, Poleo - Spain and Yarpuz - Turkey.

Peony - White

PEONY - WHITE is known by the following names: Byakushaku - Japanese, Paekchak - Korean, Paeonia Lactiflora Pall., Peony - White, Radix Paeoniae and White Peony.

Peony Root

Summary: Peony Root- Paeonia Officinalis- an antispasmodic, astringent, analgesic and tonic. Used for its smooth muscle relaxant activity. It also acts as a vasodilator and depresses the cns. It is an anti-inflammatory, an antiviral and an immunostimulant. Major constituents: monoterpenoid glycosides, benzoic acid and pentagalloyl glucose.

PEONY ROOT is known by the following names: Paeonia Officinalis. Mu Shao Yao - China, Paeonia Brownii, Paeonia Californica, Peonia - Europe, Peonia - Spain, Peony Root, Ranunculaceae Family, Sakayik - Turkey and Yoshu-syakuyaku.

Peony Root - Red

PEONY ROOT - RED is known by the following names: Chokchak - Korean, P. Iactiflora Pall., P. Obovata Maxim. - Also Used, Paeonia Veitchii Lynch, Peony Root - Red, Radix Paeoniae Rubrae, Ranunculaceae and Red Peony Root.

Peppermint

Summary: Peppermint- Mentha Piperita- one of the best things for nausea. A carminative, diaphoretic and antiseptic. Helpful with mild spasms, colic, fever, headache and nervousness. Used to treat coughs and colds; a powerful antiviral. Major constituents: essential oil, flavonoids, rosmarinic acid, azulenes, choline and carotenes.

PEPPERMINT is known by the following names: Mentha Piperita, Peppermint, Labiatae Family. Adi Nane - Turkey, Ba He, Balm Mint, Brandy Mint, Curled Mint, Horsemint - Mentha Arvensis, Lamb Mint, Menta - Chile, Menta - Spain, Mentha Aqatica - Water Mint Variation, Mentha Crispa - a Curly Variant, Mentha Montana - Egypt, Mentha Silvestris - Horse Mint Variant, Mentha Sp., Mentha Virides - Sister Plant, Mentha Viridis (Spearmint), Menthe - Haiti, Midori-hakka, Mint, Mintfield - UK - Wales, Minthorse - United Kingdom, Mintroman - Europe, Nane - Turkey, Peppermint - United States, Phudina, Po Ho - China, Spearmint, Spearmint - Sister Plant and Water Mint - a Cheaper Inferior Leaf.

Peppermint Oil

PEPPERMINT OIL is known by the following names: Labiatae Family, Mentha Piperita and Peppermint Oil.

Periwinkle

Summary: Periwinkle- Vinca Major- an astringent and an antihemorrhagic. It is used to treat nose bleeds, mouth ulcers and sore throats. Contraindicated with brain tumors and intercranial pressure. Major constituents: indole alkaloids and tannins.

PERIWINKLE is known by the following names: Apocynaceae Family, Cezayirmeneksesi - Turkey, Common Periwinkle - Eurasia, Lesser Periwinkle, Periwinkle, Vinca Minor and Vincapervinca - Spain.

Persimmon Calyx

Summary: Persimmon Calyx- Calyx Diospyros- an astringent and a carminative. Used to treat constipation, diarrhea, dysentery, hiccoughs and hemorrhoids. Major constituents: quercitin, arabinose, lycopene and lanthanum.

PERSIMMON CALYX is known by the following names: Persimmon Calyx. Calyx Diospyri Kaki, Calyx

Diospyros Kaki, Diospyros Kalci L., Ebenaceae, Ebinaceae Family, Kaki, Shitei - Japanese and Sije - Korean.

Petitgrain Oil

PETITGRAIN OIL is known by the following names: Citrus Aurantium and Petitgrain Oil.

Pimento Oil

PIMENTO OIL is known by the following names: Pimenta Officinalis and Pimento Oil.

Pimpinella

Summary: Pimpinella- Pimpinella Saxifragus- reported to be antiseptic, antispasmodic, aphrodisiac and fungicidal. Used to treat asthma, bronchitis, coughs and insomnia. Major constituents: anethole, coumarins, creosol and acetaldehyde.

PIMPINELLA is known by the following names: Black Caraway - Mediterranean, Burnet Saxifrage, Burnet Saxifrage - Germany, Carrot Family, Kucuk Pimpinella - Turkey, Perzin Dboc - Belgium, Pimpinela Blanca - Spain, Pimpinela Negra - Spain, Pimpinella, Pimpinella Magna - Equally Useful, Pimpinella Saxifraga, Pinpinera and Umbelliferae Family.

Pine

Summary: Pine- Pinus Spp.- a diuretic and irritant. Brings blood to the skin. A valuable remedy in bladder, kidney and rheumatic affections. Major constituents: tannic acid, larixinic acid and turpentine.

PINE is known by the following names: Colophonium - Finland, Knotty Pine Wood, Lignum Pini Nodi, Pinaceae, Pinaceae Family, Pine, Pinus Sylvestris, Pinus Tabulaeformis, Scotch Pine - Eurasia, Shosetsu - Japanese and Songhwa - Korean.

Pine Needle Oil

PINE NEEDLE OIL is known by the following names: Abies Sibirica Ledeb, Pinaceae Family, Pine Needle Oil, Pine Oil, Pinus Sylvestris and Scots Pine.

Pineapple Mayweed

Summary: Pineapple Mayweed- Matricaria Discoidea- a carminative, vermifuge and antispasmodic. Used to treat roundworms, threadworms and whipworms. Major ingredients: a greenish volatile oil.

PINEAPPLE MAYWEED is known by the following names: Kopf Kamille - German, Matricaria Discoidea, Matricaria Matricariodes, Pineapple Mayweed and Pineapple Weed - English.

Pinellia

PINELLIA is known by the following names: Araceae, Panha - Korean, Pinellia, Pinellia Rhizome, Pinellia Ternata (Thunb.) Breit. and Rhizoma Pinelliae Ternatae.

Pink Root

Summary: Pink Root- Spigelia Marilandica- used medicinally for roundworms and tapeworms, taken as an infusion morning and evening with a purgative such as senna. May cause toxic reactions, be cautious and always follow up with a laxative. Major constituents: spigeleine, essential oil and tannin.

PINK ROOT is known by the following names: Loganiaceae Family, Pink Root, Pinkroot - United States, Spicelia - Turkey and Spigelia Marilandica.

Pippli Long Pepper

Summary: Pippli Long Pepper- Piper Longum- an aromatic, stimulant and carminative. Used for bronchitis, cough, asthma and dysentry. Aids digestion, corrects flatulence and nausea. Major constituents: piperine and a volatile oil.

PIPPLI LONG PEPPER is known by the following names: Piper Longum. Bi Bo, Chavica Roxburgii, Fructus Piperis Longi, Hihatsu - Japanese, Indian Long Pepper, Long Pepper - Asia, Long Pepper Fruit, P'ilhal - Korean, Pepperlong - India, Pi Po - China, Pi Po Li - China, Pi Po Mu - China, Piper Longum L., Piperaceae, Piperaceae Family, Pipli, Pippli, Pippli Long Pepper, Trikana and Uzun Biber - Turkey.

Pipsissewa

Summary: Pipsissewa- Chimaphila Umbellata- a diuretic, astringent, alterative, hypoglycemic and tonic. Used in kidney disorders and rheumatism. Major constituents: quinones, flavonoids, triterpenes, methyl salicylate and tannins.

PIPSISSEWA is known by the following names: Ericaceae Family, Pipsissewa. Chimaphila Sp., Chimaphila Umbellata, Chimaphilla Umbellata, In-winter, King Cure, Prince's Pine and Rheumatism Weed.

Plantain

Summary: Plaintain- Plantago Major- an anti-inflammatory, antimicrobial, diuretic and antihemorrhagic. It stimulates the secretion of uric acid by the kidneys. Widely used for diarrhea, bruises and hemorrhoids. Plaintain is used widely in chinese medicine to treat urinary diseases, ulcers, hepatitis and other conditions. Major constituents: iridoids, flavonoids, tannin, oleanolic acid, hydroxycinnamic and benzoic acid.

PLANTAIN is known by the following names: Plantago Major, Plantain, Plantaginaceae Family, Plantago Asiatica, Plantain - Haiti. Adhan as Sakhlah - Iraq, Arnoglossa - United Kingdom, Asiatic Plantain, Bazir Dam Bil - Iraq, Buyuk Sinirliot - Turkey, Cart-tract Plant, Che Chien - China, Cheqian, Dar Yaprakli Sinirliot - Turkey, Gechi Qulaghi - Turkey, Herba Plantaginis, Lisan Al Hamal - Iraq, Llanten - Canary Isles, Llanten - Chile, Llanten - Dominican Republic, Llanten - Ecuador, Llanten - Panama, Llanten - Peru, Llanten - Venezuela, Llanten Mayor - Spain, Llanten Menor - Spain, P Lanceolate, Plant Before Cart, Plantago Asiatica L., Plantago Depressa, Plantago Lanceolata, Plantago Psyllium, Plantago Seeds, Plantago Species,

Plantain - Europe, Plantain - Iran, Plantain - Poland, Plantain Family, Psillium Seeds, Ribwort, Ribwort - UK - Wales, Ribwort Plantain, Ripplegrass, Sei Ohr Re - Pennsylvania, Semen Plantaginis, Shazenshi - Japanese, Snakeweed, Tarkuz - Kurdistan, Udhainat as Sakhalah - Iraq, Way Bread, Waybread, Wegerlich - Germany, White Manfoot and Zibad - Iraq.

Platycodon

Summary: Platycodon- Platycodon Grandiflorum- a "lung" herb. An astringent, expectorant, analgesic and sedative. Used to treat coughs, bronchitis, cancer, fever and flu. Major constituents: inulin, xylose and saponin.

PLATYCODON is known by the following names: Chieh Keng - China, Kikyoo - Japan, Platycodon. Campanulaceae, Campanulaceae Family, Kikyo - Japanese, Kilgyong - Korean, Ku Chieh Keng - China, Lu Tou - China, Platycodon Grandiflorum, Platycodon Grandiflorum (Jacq.) A. Dc., Radix Platycodi Grandiflori and Root of The Balloon Flower.

Pleurisy Root

Summary: Pleurisy Root- Tuberous Swallowwort- a cardiac, tonic, carminative, expectorant and diuretic. Used to treat bronchitis, colds, flu, fever and spasms. Major constituents: asclepiadine, bitter principal, essential oil, resin and sterol.

PLEURISY ROOT is known by the following names: Asclepias Tuberosa, Asclepiadaceae Family, Pleurisy Root. Antelope Horns, Asclepiade Tubereux - French, Asclepias Sp., Asclepideceae Family, Butterfly, Butterfly Weed, Colic Root, Haw, Knollige Schwalbenwurz - German, Knollige Seidenpflanze - German, Knollseidenwurzel - German, Knolzijdewortel - Dutch, Milkweed, Orange Milkweed, Pleurisy Root - United States, Pleurisyroot - South Carolina, Swallow-wort, Tuberous Swallowwort - United States and Yanagitowata.

Poison Oak

Summary: Poison Oak- Toxicodendrom Diversilobium- a contact allergen, causes sensitization on initial exposure and dermatitis of varying severity on subsequent exposure. Used homeopathically, see rhus tox. Major constituents: urushiols, pentadecylcatechols and heptadecylcatechols.

POISON OAK is known by the following names: Anacardiaceae Family, Poison Ivy, Poison Oak and Rhus Toxicondendron.

Poke Root

Summary: Poke Root- Phytolacca Decandra- a slow emetic and purgative with narcotic properties. As an alterative it is used for cancer, tumors, lymphatic congestion and granular conjunctivitis. Use with caution, it is very strong and irritating. Take occasionally only, fluid loss is possible. Major constituents: phytolaccic acid, tannin, bitter resin and phytolaccin.

POKE ROOT is known by the following names: Poke Root. P. Esculenta, Phytolacca, Phytolacca Acinosa Roxb., Phytolacca Sp., Phytolaccaeeae, Phytolaccaeeae Family, Phytolaccae Species, Pokeroot, Radix

Phytolaccae and Sangyuk - Korean.

Polygonatum

POLYGONATUM is known by the following names: Liliaceae, Okchuk - Korean, Pluriflorum (Miq.), Polygonatum, Polygonatum Odoratum (Mill.) Druce Var., Polygonatum Officinalis, Rhizoma Polygonati Odorati and Solomon's Seal Rhizome.

Polypody Fern Root

Summary: Polypody Fern Root- Polypodium Vulgare- an expectorant and alterative. Used to treat coughs and chest disorders, as a tonic in dyspepsia and loss of appetite and as an alterative in skin diseases. Major constituents: saponin glycosides, phloroglucin derivates, essential oil, fixed oil and tannin.

POLYPODY FERN ROOT is known by the following names: Kou Chi - China, Ku Sui Pu - China, Pespaye - Turkey, Polipodio - Spain, Polypodiaceae Family, Polypodium Vulgare, Polypody, Polypody - Europe, Polypody Fern Root and Shih Wei - China.

Pomegranate

Summary: Pomegranate- Punica Pranatum- an astringent herb used widely for dysentery and diarrhea. Also used for tapeworms. Major constituents: alkaloids and ellagitanins.

POMEGRANATE is known by the following names: Punica Granatum, An Shih Liu - China, Grenadier - Haiti, Pomegranate - Europe. Dadima, Dadima - India, Granada - Dominican Republic, Granada - Peru, Granadillo - Dominican Republic, Granado - Dominican Republic, Granado - Spain, Grenade - Haiti, Hannar - Kurdistan, Lythraceae Family, Nar - Turkey, Naragaci - Turkey, Pericarpium Punicae Granati, Pomegranate, Pomegranate - United States, Pomegranate Husk, Pomme Grenade - Haiti, Pomogranado - Haiti, Punica Granatum L., Punicaceae, Punicaceae Family, Rumman - Iraq, Sekiryuhi - Japanese, Shan Shih Liu - China, Shih Liu - China, Songnyup'i - Korean and Zakuro.

Pomegranate Bark

Summary: Pomegranate Bark- Punica Granatum- a potent astringent. Combined with the fruit it stops bleeding. Major constituents: alkaloids and ellagitanins.

POMEGRANATE BARK is known by the following names: Pomegranate Bark, Punica Granatum and Punicaceae Family.

Poplar

Summary: Poplar- Populus Alba- the bark and leaves are anti-inflammatory, anodyne, astringent, diuretic and stimulant. It is used to treat urinary complaints such as cystitis, stomach and liver disorder, debility and anorexia. It is widely used for gout. Major constituents: salicin, populin and lignin.

POPLAR is known by the following names: Alamo Negro - Spain, Aspen, Aspen - Europe, Balm of Gilead - Balsam P., Balm of Gilead - United States, Balsam Poplar - Resinous, Balsam Poplar - United States, Black Poplar - Eurasia, Fu I - China, Hai Tung - China, I Yang - China, Kara Kavak - Turkey, Poplar, Poplar Bud, Poplarblack - Europe, Populus Balsamifera, Populus Candicans and Other Sp., Populus Fremintii, Populus Nigra, Populus Species, Populus Termuloides, Populus Tremula, Populus Tremuloides, Quaking Aspen, Salicaceae Family, Seiyo-hako-yanagi, Tacamahaca - Amerindian, Tang Ti - China, Tzu Tung - China and White Poplar.

Poppy Seeds

POPPY SEEDS is known by the following names: Ahiphena, Papaver Sp., Papaveraceae Family, Poppy Seeds and Ying Su Qiao.

Poterium

Summary: Prickly Ash Bark- Xanthoxylum Americanum- a stimulant recommended for chronic rheumatism, typhoid, skin diseases and impurity of the blood. Major constituents: volatile oil, fat, sugar, gum, acrid resin, berberine and xanthoxylin.

POTERIUM is known by the following names: Poterium and Poterium Spinosum.

Prickly Ash

PRICKLY ASH is known by the following names: Ch'onch'o - Korean, Chinese Prickly-ash, Fruit of Szechuan Pepper, Pericarpium Zanthoxyli, Prickly Ash, Rutaceae, Suterberry, Toothache Tree, Xanthoxylum Americanum, Zanthoxylum and Zanthoxylum Bungeanum Maxim..

Prickly Ash Bark

PRICKLY ASH BARK is known by the following names: Hua Jiao, Prickly Ash, Prickly Ash Bark, Rutaceae Family, Tumburu, Xanthoxylum Americanum and Xanthoxylum Sp..

Primula

Summary: Primula- Primula Veris- a sedative and an antispasmodic. Used to treat nervousness and giddiness. Major constituents: mannite and saponin.

PRIMULA is known by the following names: Cowslip, Cowslip - Europe, Cuhacicegi - Turkey, Herba Sancti Petri - Europe, Oxlip, Primavera - Spain, Primrose, Primula, Primula Elatior, Primula Officinalis, Primula Veris, Primula Vulgaris, Primulaceae Family and Seiyo-sakura-so.

Prince Ginseng

Summary: Prince Ginseng- Prince Ginseng- a tonic, used to treat fatigue, heart, lung and appetite disorders.

PRINCE GINSENG is known by the following names: Caryophyllaceae Family, Prince Ginseng and Pseudostellariae Heterophyllae.

Privet

Summary: Privet- Ligustrum Vulgare- an astringent, detergent and laxative. Used externally on wounds. Used to treat tumors of the uvula. Major constituents: ligustrin, ligustrone, syringin and syringopicrin.

PRIVET is known by the following names: Fructus Ligustri Lucidi, Joteishi - Japanese, Ligustri Lucidi, Ligustrum, Ligustrum Lucidum Ait., Oleaceae, Oleaceae Family, Privet, Privet Fruit and Yojungja - Korean.

Pseudoginseng Root

PSEUDOGINSENG ROOT is known by the following names: Araliaceae, Notoginseng Root, P. Pseudogin, Panax Notoginseng (Burk.) F. H. Chen., Pseudoginseng Root, Radix Notoginseng and Sanshichi - Japanese.

Psoralea Seeds

Summary: Psoralea Seeds- Psoralea Spp- a tonic, anthelmintic and emetic. Widely used for impotence and leprosy. Used in chronic diarrhea and skin diseases. Shown to increase natural pigments in the skin. Major constituents: angelicin, coumarin, coumestrol, limonene, linalool, starch, stigmasterol, volatile oil and a bitter principle.

PSORALEA SEEDS is known by the following names: Cot Chu - Vietnam, Fructus Psoraleae Corylifoliae, Hokotsushi - Japanese, Indian Bread Root, Ku Tzu - Vietnam, Leguminosae, Leguminosae Family, Pha Cot Chi - Vietnam, Po Ku Chih - China, Pogolchi - Korean, Psoralea Corylifolia, Psoralea Corylifolia L., Psoralea Esculenta, Psoralea Fruit, Psoralea Melitotoidea, Psoralea Seeds and Pu Ku Chih - China.

Psyllium

Summary: Psyllium- Plantago Ovata- native to the Mediterranean region. A natural laxative. The seeds swell when moistened into a gelatinous mass, promoting peristalsis and moistening the feces. Also have a beneficial effect in diarrhea. The husks are more irritating, the whole seed is preferable. Major constituents: mucilage, boschniakine, boschniakinic acid, triterpenes, betasitosterol, campesterol and amyrin.

PSYLLIUM is known by the following names: Plantago Psyllium, Plantaginaceae Family, Psyllium. Asiatic Plantain Seed, Cheqianzi, Eshopgel - Bengali, Flea Seed, Gechi Qulaghi - Turkey, Isabgol, Isabgul - Bengali, Isaphagula, Isbaghol - Hindi, Ishadgola - Sanskrit, Issufgul - Hindi, Karniyarik - Turkey, Plantaginaceae, Plantago Asiatica, Plantago Depressa, Plantago Ovata, Plantago Ovato, Psyllium - Europe, Psyllium - Mediterranean, Psyllium Seed, Riblah - Iraq, Seed-before-cart, Semen Plantaginis, Slaksnajira - Sanskrit, Snigdhabija - Sanskrit, Snigdhajira, Snigdharija, Zaragatona - Spain and Zibad - Iraq.

Pulsatilla

Summary: Pulsatilla- Anemone Pulsatilla- a nervine, antispasmodic, sedative and alterative. Used for nervous

exhaustion and absence of a period in women. Major constituents: lactones, protoanemonin, saponins, anemone camphor, tannins and volatile oil.

PULSATILLA is known by the following names: Pulsatilla. Anemone, Anemone Pulsatilla, Chinese Anemone Root, Kuchenschelle - Europe, P. Cernua (Thunb.) Bercht. Et Opiz, P. Dahurica (Fisch. Ex Dc) Spreng, Paektuong - Korean, Pai Tou Weng - China, Pasque Flower, Pulsatila - Spain, Radix Pulsatillae Chinensis, Ranunculaceae and Ranunculaceae Family.

Pumpkin Seeds

Summary: Pumpkin Seeds- Cucurbita Maxima- a diuretic and demulcent, taken for tapeworm. Also used for measles and smallpox. Major constituents: linoleic, oleic, palmitic and stearic acids and cucurbitacins. The cucurbitacins are toxic.

PUMPKIN SEEDS is known by the following names: Cucurbita Pepo, Pumpkin Seeds. Calabacera - Spain, Cucurbita Moschata Duch., Cucurbitaceae, Cucurbitaceae Family, Cucurbitae Family, Kabak - Turkey, Kulakah - Kurdistan, Kurbis - Europe, Lacayote - Peru, Namgwacha - Korean, Nan Kua - China, Nankashi - Japanese, Pimpkin, Pumpkin Seeds and Husks, Qabagh - Turkey, Semen Cucurbitae, Semen Cucurbitae Moschatae, Shijar - Iraq and Squash.

Punarnava

PUNARNAVA is known by the following names: Boerhaavia Diffusa, Nyctagineae Family, Spreading Hogweed. Boerhaavia Erecta, Boerhaavia Procumbeno, Boerhaavia Repens, Hog Weed, N.o. Nyctagineae, Punarnava and Shothaghni.

Purslane

Summary: Purslane- Portulaca Oleraceae- green purslane- native to many parts of Europe. Used to treat fever and inflammation. A powerful alterative and bactericide. Major constituents: zinc, oleic acid, noradrenalin, norepinephrine and cyanin.

PURSLANE is known by the following names: Purslane. Bashiken - Japanese, Herba Portulacae Oleraceae, Oleraceae L., Portulaca, Portulacaeae Family, Portulacaeae and Portulaceae Oleraceae.

Pyrola

Summary: Pyrola- Pyrola Rotundifolia- false wintergreen- an astringent, diuretic, tonic and antispasmodic. Used externally to treat skin diseases and internally to treat nervous conditions. Major constituents: arbutin, essential oil, homoarbutin and isohomoarbutin.

PYROLA is known by the following names: Lu Ti Tsao - China. Holzmangold - German, Pirola - Italian, Pirola - Spain, Pyrola, Pyrola Rotundifolia, Pyrolaceae Family, Pyrolaround-leaved - United States, Pyrole a Grappes - French, Rondbladig Wintergroenkruid - Dutch, Round-leaved Wintergreen - United States and Vintergron - Danish.

Queen of The Meadow Oil

QUEEN of THE MEADOW OIL is known by the following names: Filipendula Ulmaria, Queen of The Meadow Oil, Rosaceae Family and Spirea Ulmaria.

Radish

Summary: Radish- Raphanus Sativus- radish juice is used to prevent the formation of gall stones. Traditionally used for diarrhea, scurvy and headache. Major constituents: phenyl-ethyl isothiocyanite, volatile oil and amylclytic enzyme.

RADISH is known by the following names: Cruciferae Family, Lai Fu - China, Lo Po - China, Radis - Haiti, Raphanus Sativus. Cabbage Family, Cruciferae, Karaturp - Turkey, Kirmiziturp - Turkey, Mulaka - India, Rabano - Dominican Republic, Rabano - Spain, Radis Marron - Haiti, Radish, Radish - United Kingdom, Radish - United States, Radish Seed, Radish Seeds, Raifukushi - Japanese, Raphani Sativi, Raphanus, Raphanus Sativus Niger - Black Radish, Raphanus Sativus Radiola - Red Variety, Semen Raphani Sativi and White Radish.

Rasna

RASNA is known by the following names: Indian Groundsel, Pluchea Lanceolata, Rashana - Hindi and Rasna.

Raspberry Leaves

Summary: Raspberry Leaves- Rubus Idaeus- used to facilitate childbirth. Possesses uterine relaxant effects. Affects only the pregnant uterus, with no activity on the non-pregnant uterus. A safe tonic to take as tea through pregnancy to tone the uterus. Major constituents: polypeptides, flavonoids, glycosides of kaempferol and quercetin and tannins.

RASPBERRY LEAVES is known by the following names: Ahududu - Turkey, Fook Phoon Chee - China, Framboises - Haiti, Frambosia - France, Frambueso - Spain, Hindberry, Raspberry Leaves, Raspbis, Red Raspberry, Red Raspberry - Europe, Red Raspberry Leaves, Rosa Family, Rosaceae Family, Rubis Strigosus (Wild), Rubis Idaeus (Cultivated), Rubus Idaeus, Rubus Idaeus & R. Strigosus, Rubus Idaeus and Rubus Sp..

Rauwolfia

Summary: Rauwolfia- Rauwolfia- Serpentina- a hypotensive, sedative, tonic and tranquilizer. Used to treat fever, insomnia, headache and restlessness. Use with caution and in small doses. Nasal congestion is a side effect. Major constituents: alseroxylone, rescinamine and reserpine.

RAUWOLFIA is known by the following names: Apocynaceae Family, Rauwolfia Serpentina. Alstonia Constricta - Similar, Asutralian Quinine - United States, Chandrika, Fieberbaum - German, Indian Snakeroot, Indo-zyaboku - Chinese, Koortsboom - Dutch, Periwinkle Family, Rauwolfia, Sarpa-gandha and Sarpagandha.

Ravensara Oil

RAVENSARA OIL is known by the following names: Madagascar Nutmeg - Malagasy, Ravensara Aromatica and Ravensara Oil.

Red Clover

Summary: Red Clover- Trifolium Pratens- one of the great blood cleansers. Used in many cancer formulas and for many chronic diseases. An alterative, antispasmodic, expectorant and sedative. Used to treat psoriasis and eczema and as an expectorant in coughs and bronchial conditions. Major constituents: isoflavones, flavonoids, volatile oil, coumarins, galactomannan, resin and phytoalexins.

RED CLOVER is known by the following names: Trifolium Pratense, Red Clover, Trefoil. Bersim Ahmar - Iraq, Cleaver Grass, Cow Grass, Fabace Family, Kirmizi Yonca - Turkey, Leguminosae, Leguminosae Family, Marl Grass, Murasaki-tume-kusaaka-tume-kus, Nafal - Iraq, Papilionacae, Purple Clover, Red Clover - Australia, Red Clover - Eurasia, Red Clover - Europe, Red Clover - Russia, Red Clover - Uk, Red Clover - United States, Red Clover Blossoms, Trebol - Spain, Trebol Rojo - Spain, Trifolium Pratense & Sp., Vana-methika and Wild Clover.

Red Sandalwood

RED SANDALWOOD is known by the following names: Red Sandalwood.

Reed Grass

Summary: Reed Grass- Ceanothus Americanus- an astringent, expectorant and antispasmodic. Used for fever, nausea and thirst. Major constituents: ceanothic acid, emmolic acid and cyclopeptide alkaloids.

REED GRASS is known by the following names: Carrizo, Gramineae Family, Lugen, Phragmites Communis, Phragmites Communis Et Species, Reed Grass, Reed Rhizome and Rhizoma Phragmitis.

Rehmannia

Summary: Rehmannia- Rehmannia Glutinosa- tonifies the blood and the kidneys. Used to treat dizziness, palpitations hypertension and insomnia. Also used for irregular menstruation, uterine bleeding and postpartum bleeding. A favorite Chinese herb. Major constituents: b-sitosterol, mannitol, stigmasterol, campesterol, rehmannin, catalpol, arginine and glucose.

REHMANNIA is known by the following names: Chinese Foxglove, Rehmannia Glutinosa, Scrophulariaceae. Berbedaceae, Chinese Foxglove Root, Chinese Foxglove Root Cooked in Wine, Cooked Earth's Yellowness, Di Huang, Fresh Earth's Yellowness, Glutinous Rehmannia, Glutinus Rehmannia, Jukujio - Japanese, Libosch. F. Hueuhingensis, New Place, Old Place, R. Glutinosa, Radix Rehmannia, Radix Rehmannia Preaparatae, Radix Rehmanniae Glutinosae, Rehmannia, Rehmannia (Fresh), Rehmannia Glutinosa (Gaertn.) Libosch., Rehmannia Glutinosa Libosch, Rehmannia Glutinosa Lisbosh, Saengjihwang - Korean, Scophlariaceae, Scrophulariaceae Family, Scrophulariae Family, Sheng Ti Huang - China, Shengdi, Shojio - Japanese, Shu Di

Huang (Cooked), Shu Ti Huang - China, Shudihuang, Steamed Glutinous Rehmannia, Ti Huang - China and Ti Huang Chiu - China.

Reishi

Summary: Reishi- Ganoderma Lucidum- used to treat excess cholesterol, hypertension, cancer and many other diseases. It acts as an antioxidant and an overall immune strengthener. Major constituents: polysaccharides and triterpenoids.

REISHI is known by the following names: Ganoderma Lucidum, Reishi, Basidiomycetes Family, G. Applanatum and Related Species, Ling Chih, Ling Zhi and Reishi Mushroom.

Rheumatism Ginseng

Summary: Rheumatism Ginseng- Acanthopanax Sessiflorus- a diuretic, analgesic, antirheumatic and antispasmodic. Used to treat arthritis, rheumatism, eczema and itching. Major constituents: zinc, tannin, salicylaldehyde, linoleic and palmitic acids.

RHEUMATISM GINSENG is known by the following names: Acanthopanax Gracilistylus, Acanthopanax Sessiflorus, Araliaceae Family, Rheumatism Ginseng and Wu Jia Pi.

Rhubarb Root

Summary: Rhubarb Root- Rheum Spp.- native to the mountains of the western and north-western provinces of China. A powerful purgative. A natural astringent and laxative. Major constituents: rheopurgarin, chrysophanic acid, rheochrysidin, phaoretin, oxalate of calcium and rheo-tannic.

RHUBARB ROOT is known by the following names: Polygonaceae Family, Rheum Palmatum, Amlavetasa, Chiang Chun - China, Da Huang, Huang Liang - China, Rheum Officinale, Rheum Species, Ta Huang - China, Turkey Rhubarb. Buckwheat Family, China Rhubarb - China, Chinese - R. Officinale, Chinese Rhubarb, Cin Ravendi - Turkey, Daio - Japanese, Dock Family, East Indian Rhubarb, Himalayan Rhubarb, Indian Rhubarb, Maxim. Et Reg. (Used in Northern China), Medicinal Rhubarb, Medicinal Rhubarb - China, Polygonaceae, R. Tanguticum, Radix Et Rhizoma Rhei, Rawend, Rhabarber - German, Rheum Palmatum L., Rheum Palmatum Var. Tanguticum, Rheum Tanguticum, Rhubarb, Rhubarb De Perse - French, Rhubarb Root, Rhubarb Root and Rhizome, Ta Huang and Taehwang - Korean.

Rice Sprouts

RICE SPROUTS is known by the following names: Fructus Oryzae Sativae, Graminaceae Family, Graminae, Kok'ga - Korean, Kokuga - Japanese, Oryzae Sativae, Orzya Satida L., Rice Sprout and Rice Sprouts.

Rockrose Oil

ROCKROSE OIL is known by the following names: Cistaceae Family, Cistus Labdaniferus and Rockrose Oil.

Rose Apple

Summary: Rose Apple- Syzygium Jambolana- jambul- an antidiabetic used to treat diabetes. Major constituents: insulin like factors.

ROSE APPLE is known by the following names: Jambul, Rose Apple, Roseapple and Syzygium Jambolana.

Rose Flowers and Fruit

Summary: Rose Flowers and Fruit-Rosa Spp-cultivated throughout the world. They have a wonderful fragrance. Rarely used medicinally, although the fruits of the dog rose are used as an astringent and source of vitamin C. Major constituents: geraniol, nerol, citronellol, geranic acid, eugenol, myrcene and phenethyl alcohol.

ROSE FLOWERS and FRUIT is known by the following names: Rheum Sp., Rosa Chinensis Et Species, Rosa Sp., Rosaceae Family, Rose Flowers and Fruit, Shatapatri, Tea Rose, Yeu Ji Hua and Yueh Chi Hua - China.

Rose Hips

Summary: Rose Hips- Rosa Canina- native to Europe, west Africa and Asia. An astringent and nutritive. Given as a source of vitamin C in debility, colds and mild infections. Used in many cough syrups. Major constituents: ascorbic acid, flavonoids, fruit acids and mucilage.

ROSE HIPS is known by the following names: Eglantier - Haiti, Rosa Canina, Rosa Sp., Dog Briar, Dog Rose, Dog Rose - Europe, Eglantier Rose Sauvage - Haiti, Escaramujo - Chile, Fructus Cynosbati, Gul Mohammed - Kurdistan, Hipberries, Kusburnu - Turkey, Oleum Roseum - Europe, Rosaceae Family, Rosal Silvestre - Spain, Rose, Rose Hips and Ward Barry - Iraq.

Rose Oil

ROSE OIL is known by the following names: Cabbage Rose - English, Damask Rose - Eurasia, Gula Bagh - Kurdistan, Gulab - India, Provence Rose - German, Qunja Gul - Turkey, Rosa Centifolia (Cabbage Rose), Rosa Centofoglie - Italian, Rosa Damascena (Damask Rose), Rosaceae Family, Rose - Europe, Rose De Mai (Centifolia), Rose Oil, Tsiang Wei - China, Ward Juri - Iraq and Ward Juri Berri - Iraq.

Rose Petals

Summary: Rose Petals- Rosa Canina- an astringent, mostly used in cosmetics and flavorings. Used to soothe the skin. Major constituents: beta carotene, citronellol, cyanin, eugenol, gallic acid and linalool.

ROSE PETALS is known by the following names: Rosaceae Family, Rosae Rugosae and Rose Petals.

Rosemary

Summary: Rosemary- Rosmarinus Officinalis- an anti-inflammatory, tonic, astringent, diaphoretic and antiseptic. Used to treat septic shock and capillary fragility. Also used for rheumatism, fainting and overwork.

Major constituents: volatile oil, flavonoids, rosmarinic acid, rosmaricine, ursolic acid and oleanolilc acid.

ROSEMARY is known by the following names: Labiatae Family, Rosemary, Rosmarinus Officinalis. Compass Weed, Lamiaceae Family, Poplar Plant and Rosemarinus Offinalis.

Rosemary Oil

ROSEMARY OIL is known by the following names: Mi Tieh Hsiang - China, Romarin - Haiti. Anthos - Greece, Biberiye - Turkey, Incensier, Labiatae Family, Lomarin - Haiti, Mannen-ro, Romarin - Belgium, Romarin Du Pays - Haiti, Romero - Chile, Romero - Dominican Republic, Romero - Peru, Romero - Spain, Romero Comun - Chile, Rosemary - Europe, Rosemary - United Kingdom, Rosemary Oil and Rosmarinus Officinalis.

Rosewood Oil

ROSEWOOD OIL is known by the following names: Aniba Rosaedora and Rosewood Oil.

Rue

Summary: Rue- Ruta Graveolens- a strong stimulant and antispasmodic. Used to treat coughs and croup. A powerful emmenagogue, it may cause abortion. The nutrient rutin was named after this plant because of its high rutin content. Major constituents: caprinic, plagonic, rutin, caprylic and oenanthylic acids. In excessive doses it is poisonous.

RUE is known by the following names: Ruta Graveolens, Rue, Yun Hsiang Tsao - China. Bahce Sedefotu - Turkey, Henruda, Herbygrass, Ruda - Spain, Rue - Europe, Rue - Mediterranean, Rue - Ukwales, Rue Fetide - France, Ruta - Norway and Rutaceae Family.

Rupturewort

Summary: Rupturewort- Herniaria Glabra- a very active diuretic. Used for treatment of the bladder. Major constituents: herniarine and paronchine.

RUPTUREWORT is known by the following names: Herniaria - Spain, Herniaria Glabra, Kasikotu - Turkey, Nabat Al Sheikh - Iraq, Rupturewort, Showail - Iraq, Smooth Rupturewort and Um Waja Al Kabed - Iraq.

Part II The Names of Medicinal Plants

P'agukch'on - Korean, See - Morinda

P'allamgun - Korean, See - Isatis

P'e-Nan - Korean, See - Eupatorium

P'ilhal - Korean, See - Pippli Long Pepper

P. Cernua (Thunb.) Bercht. Et Opiz, See - Pulsatilla

P. Dahurica (Fisch. Ex Dc) Spreng, See - Pulsatilla

P. Esculenta, See - Poke Root

P. Frutescens (L.) Britt. Var., See - Shiso

P. Iactiflora Pall., See - Peony Root - Red

P. Obovata Maxim. - Also Used, See - Peony Root - Red

P. Pseudogin, See - Pseudoginseng Root

P. Urinaria, See - Bhumyamalaki

Pa Chi T'ien - Chinese, See - Gotu Kola

Pa Chio Hiu Hsiang - China, See - Star Anise

Pa Chio Hui Hsiang - China, See - Star Anise

Pa Chio Yu - China, See - Star Anise

Pa Tou - China, See - Croton Oil

Pa Yueh Chu - China, See - Anise Seed

Paarde Kastanje - Dutch, See - Horse Chestnut

Pachak - Bengali, See - Kustha Mula

Padma, See - Lotus Leaf

Padma, See - Lotus Root

Padmaka, See - Wild Cherry Bark

Padock-Pipes, See - Horsetail

Padu - Korean, See - Croton Oil

Paederia Foetida, See - Paederia Foetida

Paegchi - Korean, See - Angelica

Paekch'ul - Korean, See - Atractylodes

Paekchak - Korean, See - Peony - White

Paekchillyo - Korean, See - Caltrop

Paekkaecha - Korean, See - Mustard Seed - White

Paektugu - Korean, See - Cardamon

Paektuong - Korean, See - Pulsatilla

Paeonia Brownii, See - Peony Root

Paeonia Californica, See - Peony Root

Paeonia Lactiflora Pall., See - Peony - White

Paeonia Officinalis, See - Peony Root

Paeonia Suffruticosa, See - Tree Peony

Paeonia Suffruticosa Andr., See - Tree Peony

Paeonia Veitchii Lynch, See - Peony Root - Red

Pai Chai Tan - China, See - Sandalwood

Pai Chi Li - China, See - Caltrop

Pai Ho - China, See - Tiger Lily

Pai Ho Kan - China, See - Tiger Lily

Pai Kuo - China, See - Ginkgo

Pai Sang - China, See - Mulberry Fruit

Pai Su - China, See - Shiso

Pai Sui - China, See - Blackthorn

Pai Tou Kou - China, See - Cardamon Oil

Pai Tou Weng - China, See - Pulsatilla

Pai Ying - China, See - Bittersweet

Paico - Peru, See - Wormseed

Pakha - Korean, See - Horsemint

Palankasa - Sanskrit, See - Guggul

Palas, See - Butea

Palm Family, See - Saw Palmetto

Palma Christi - French, See - Castor Oil

Palma Rosa Oil, See - Palma Rosa Oil

Palmaceae Family, See - Saw Palmetto

Palmae, See - Betelnut

Palmae Family, See - Betelnut

Palmae Family, See - Dragon's Blood

Palmaroza - Turkey, See - Palma Rosa Oil

Pamu - Kurdistan, See - Cotton Root

Pamuk - Turkey, See - Cotton Root

Pan, See - Betel Leaves

Pan Y Quesillo - Spain, See - Shephard's Purse

Panax Ginseng, See - Ginseng

Panax Ginseng, See - Ginseng - Korean

Panax Ginseng C. A. Mey, See - Ginseng

Panax Notoginseng (Burk.) F. H. Chen., See - Pseudoginseng Root

Panax Pseudoginseng, See - Tienchi Ginseng

Panax Quinquefolium, See - American Ginseng

Panax Quinquefolium, See - Ginseng

Panax Quinquefolium (American), See - Ginseng

Panax Quinquefolium L., See - American Ginseng

Panax Quinquefolius L., See - Ginseng - American

Pancangula - Sanskrit, See - Castor Oil

Pandipane - French, See - Karavellaka

Panha - Korean, See - Pinellia

Panjangusht - Sanscrit, See - Vitex

Pano - Chile, See - Mullein

Pansy, See - Pansy

Pansy - Eurasia, See - Pansy

Pansy - United States, See - Pansy

Panzehirotu - Turkey, See - Condurango Bark

Papatya - Turkey, See - Chamomile

Papaveaceae Family, See - Corydalis

Papaver Sp., See - Poppy Seeds Papaveraceae, See - Corydalis

Papaveraceae Family, See - Bloodroot

Papaveraceae Family, See - California Poppy

Papaveraceae Family, See - Celandine - Greater

Papaveraceae Family, See - Fumitory

Papaveraceae Family, See - Poppy Seeds

Papilionacae:Leguminosae Family, See - Red Clover

Papilionaceae Family, See - Kapikacchu

Papilionaceae Family, See - Lespedeza

Papilionaceae Family, See - Licorice

Papilionaceae Family, See - Melilot

Papilionaceae Family, See - Scotch Broom

Papoose Root, See - Blue Cohosh

Paprika - Variant - Milder, See - Cayenne Pepper

Parmelia Furfuracea - Similar Properties, See - Usnea

Parmeliaceae Family, See - Iceland Moss

Parrietoria Officinalis, See - Pellitory Of The Wall

Parsley, See - Parsley

Parsley Oil, See - Parsley Oil

Partha - Sanskrit, See - Arjun

Parthenium, See - Feverfew

Partridge Berry, See - Squaw Vine

Partridge Berry - English, See - Squaw Vine

Partridgeberry - United States, See - Squaw Vine

Pashana Bheda, See - Pashana Bheda

Pashanbheda, See - Pashana Bheda

Pasque Flower, See - Pulsatilla

Passiflora Incarnata, See - Passion Flower

Passiflora Quadrangularis, See - Passion Flower

Passiflora Sp., See - Passion Flower

Passifloraceae Family, See - Passion Flower

Passion Flower, See - Passion Flower

Pasta Acaciae Seu Uncariae, See - Gambir

Pasture Sagewort, See - Wormwood

Patchouli, See - Patchouli

Patchouli Oil, See - Patchouli Oil

Patchouly - Malaya, See - Patchouli

Pathya - Sanskrit, See - Haritaki

Patyori, See - Patchouli Oil

Pau D'arco, See - Pau D'arco

Pavitra - Sanskrit, See - Tulasi

Pazote - Mexico, See - Wormseed

Pazote - Spain, See - Wormseed

Pea Family, See - Astragalus

Pea Family, See - Ononis

Peach, See - Peach Bark

Peach - United States, See - Peach Seed

Peach Bark, See - Peach Bark

Peach Kernel, See - Peach Seed

Peach Seed, See - Peach Seed

Pearl Ash, See - Moti Bhasma

Pecher - France, See - Peach Seed

Pedaliaceae, See - Black Sesame Seeds

Pedaliaceae Family, See - Black Sesame Seeds

Pedaliaceae Family, See - Devil's Claw

Pedaliaceae Family, See - Sesame Oil

Pedeliaceae Family, See - Devil's Claw

Pei Mu - China, See - Fritillary

Pei Wu Wei - China, See - Schizandra Chinensis

Peilan, See - Boneset

Pekinensis Rupr., See - Euphorbia

Peking Spurge Root, See - Euphorbia

Pelargonium Adorantissimum, See - Geranium Oil

Pelargonium Graveolens, See - Geranium Oil

Pelin - Turkey, See - Wormwood

Pelinagaci - Turkey, See - Wormwood

Pellitory Of The Wall, See - Pellitory Of The Wall

Peng Ta Wan - China, See - Gotu Kola

Pennyroyal, See - Pennyroyal

Peonia - Europe, See - Peony Root

Peonia - Spain, See - Peony Root

Peony - White, See - Peony - White

Peony Root, See - Peony Root

Peony Root - Red, See - Peony Root - Red

Pepper, See - Black Pepper

Pepper - Asia, See - Black Pepper

Pepper - India, See - Black Pepper

Pepper - United Kingdom, See - Black Pepper

Pepper - United States, See - Black Pepper

Pepperblack - Uk - Wales, See - Black Pepper

Pepperlong - India, See - Pippli Long Pepper

Peppermint, See - Peppermint

Peppermint - United States, See - Peppermint

Peppermint Oil, See - Peppermint Oil

Pepperred - India, See - Cayenne Pepper

Perejil - Spain, See - Parsley Oil

Pericarpium Arecae Catechu, See - Betelnut

Pericarpium Citri Reticulatae, See - Tangerine Oil

Pericarpium Citri Reticulatae, See - Tangerine Peel

Pericarpium Punicae Granati, See - Pomegranate

Pericarpium Zanthoxyli, See - Prickly Ash

Perilla, See - Shiso

Perilla Frutescens, See - Shiso

Perilla Frutescens (L.) Britt., See - Shiso

Perilla Leaf, See - Shiso

Perilla Seed, See - Shiso

Perillafrutescens (L.) Britt. Var. Cris, See - Shiso

Perinj - Turkey, See - Glutinous Rice Roots

Periploca Sepium Bunge, See - Siberian Ginseng

Periwinkle, See - Periwinkle

Periwinkle, See - Vinca Rosea

Periwinkle Family, See - Rauwolfia

Periwinkle Family, See - Vinca Rosea

Perla - Dominican Republic, See - Yarrow

Persian Bark, See - Cascara Bark

Persian Lilac. See - Neem

Persica, See - Peach Seed

Persimmon Calyx, See - Persimmon Calyx

Peru Balsam Tree, See - Balsam Of Peru

Peruvian Bark, See - Chinchona

Peruvian Bark - Italy, See - Cinchona Bark

Perzin Dboc - Belgium, See - Pimpinella

Pesco - Italy, See - Peach Seed

Pespaye - Turkey, See - Polypody Fern Root

Petasites Albus - Similar Species, See - Butterbur

Petasites Hybridus, See - Butterbur

Petasities Officinalis (Formerly), See - Butterbur

Petha - Hindi, See - Sveta Kusmanda

Petitgrain Oil, See - Petitgrain Oil

Petroselinum Hortense, See - Parsley Oil

Petroselinum Sativm, See - Parsley

Petroselinum Sativum, See - Parsley

Petroselinum Sativum, See - Parsley Oil

Petroselinum Sp., See - Parsley

Petrosellinum Sativum, See - Parsley

Pettigree, See - Butcher's Broom

Peucedanum Palustre, See - Sow Fennel

Peucedanum Praeruptorum (Chinese), See - Sow Fennel

Peumus Boldus, See - Boldo

Pewter Worts, See - Horsetail

Pewterwort, See - Horsetail

Pfaffia Paniculata, See - Suma

Pfeffer - Germany, See - Black Pepper

Pha Cot Chi - Vietnam, See - Psoralea Seeds

Pharbitis, See - Morning Glory Seeds

Pharbitis Hederacea, See - Morning Glory Seeds

Pharbitis Nil (L.) Choisy, See - Morning Glory Seeds

Phaseolus Vulgaris, See - Haricot Bean

Phragmites Communis, See - Reed Grass

Phragmites Communis Et Species, See - Reed Grass

Phu, See - Valerian Root

Phudina, See - Peppermint

Phyllanthe Niruri - French, See - Bhumyamalaki

Phyllanthus Emblica, See - Amalaki

Phyllanthus Emblica, See - Amla

Phyllanthus Niruri, See - Bhumyamalaki

Phyllostachys Species, See - Bamboo

Physalis Flexuosa, See - Ashwaganda

Phytolacca, See - Poke Root

Phytolacca Acinosa Roxb., See - Poke Root

Phytolacca Sp., See - Poke Root

Phytolaccaceae, See - Poke Root

Phytolaccaceae Family, See - Poke Root

Phytolaccae Species, See - Poke Root

Pi Ling - China, See - Cubeb

Pi Pa - China, See - Locquat Leaves

Pi Po - China, See - Cayenne Pepper

Pi Po - China, See - Pippli Long Pepper

Pi Po Li - China, See - Pippli Long Pepper

Pi Po Mu - China, See - Pippli Long Pepper

Pick Tooth - United States, See - Khella

Picramnia Antidesma, See - Cascara Amarga

Picrorhiza, See - Gentian

Picrorhiza Kurroa, See - Gentian

Pie De Leon - Spain, See - Lady's Mantle

Pied De Poule - French, See - Couchgrass

Pien Hsu - China, See - Knotgrass

Pigweed, See - Amaranth

Pile - Belgium, See - Thyme

Pill Bearing Spurge, See - Euphorbia

Piment De Cayenne - Gabon, See - Cayenne Pepper

Pimenta Acris, See - Bay Oil

Pimenta Dioica, See - Allspice

Pimenta Officinalis, See - Pimento Oil

Pimenta Racemosa, See - Bay Oil

Pimenta Racemosa Myrtaceae-Myrtle, See - Bay Oil

Pimento Officinalis, See - Allspice

Pimento Oil, See - Pimento Oil

Pimienta Acuatica - Spain, See - Water Pepper

Pimpernel - Uk - Wales, See - Burnet Root

Pimpinela Blanca - Spain, See - Pimpinella

Pimpinela Mayor - Spain, See - Burnet Root

Pimpinela Negra - Spain, See - Pimpinella

Pimpinella, See - Pimpinella

Pimpinella Anisum, See - Anise Seed

Pimpinella Anisum, See - Aniseed Oil

Pimpinella Magna - Equally Useful, See - Pimpinella

Pimpinella Saxifraga, See - Pimpinella

Pimpkin, See - Pumpkin Seeds

Pin Maritime - French, See - Terebinth Oil

Pinaceae, See - Pine

Pinaceae Family, See - Juniper Berries

Pinaceae Family, See - Ocean Pine Oil

Pinaceae Family, See - Pine

Pinaceae Family, See - Pine Needle Oil

Pinaceae Family, See - Thuja

Pinaster, See - Terebinth Oil

Pinctada Margaritifera, See - Moti Bhasma

Pine, See - Pine

Pine Needle Oil. See - Pine Needle Oil

Pine Oil. See - Pine Needle Oil

Pineapple Mayweed, See - Pineapple Mayweed

Pineapple Weed - English, See - Pineapple Mayweed

Pinellia, See - Pinellia

Pinellia Rhizome, See - Pinellia

Pinellia Ternata (Thunb.) Breit., See - Pinellia

Pinestone - Europe, See - Ocean Pine Oil

Pingp'yon - Korean, See - Borneol Oil

Pinheiro - Portugal, See - Terebinth Oil

Pink Root. See - Pink Root

Pinkroot - United States, See - Pink Root

Pino Maritimo - Spain, See - Terebinth Oil

Pinpinera, See - Pimpinella

Pinus Laricio, See - Terebinth Oil

Pinus Maritima, See - Terebinth Oil

Pinus Nigra, See - Terebinth Oil

Pinus Pinaster, See - Terebinth Oil

Pinus Pineaster, See - Ocean Pine Oil

Pinus Sylvestris, See - Pine

Pinus Sylvestris, See - Pine Needle Oil

Pinus Sylvestris, See - Terebinth Oil

Pinus Tabulaeformis, See - Pine

Pip'ayop - Korean, See - Locquat Leaves

Piper Betle, See - Betel Leaves

Piper Cubeba, See - Cubeb

Piper Longum, See - Pippli Long Pepper

Piper Longum L., See - Pippli Long Pepper

Piper Methysticum, See - Kava Kava

Piper Nigrum, See - Black Pepper

Piper Nigrum, See - Black Pepper Oil

Piper Nigrum L., See - Black Pepper

Piper Sanctum - Similar From Mexico, See - Kava Kava

Piperaceae, See - Black Pepper

Piperaceae, See - Pippli Long Pepper

Piperaceae Family, See - Black Pepper

Piperaceae Family, See - Black Pepper Oil

Piperaceae Family, See - Cubeb

Piperaceae Family, See - Kava Kava

Piperaceae Family, See - Pippli Long Pepper

Pipes, See - Oak Bark

Pipli, See - Pippli Long Pepper

Pippali, See - Pippli Long Pepper

Pipperidge Bush, See - Barberry

Pippli, See - Pippli Long Pepper

Pippli Long Pepper, See - Pippli Long Pepper

Pipsissewa, See - Pipsissewa

Pirinc - Turkey, See - Glutinous Rice Roots

Pirola - Italian, See - Pyrola

Pirola - Spain, See - Pyrola

Piruli - Dominican Republic, See - Oleander

Piscidia Erythrina L., See - Jamaican Dogwood

Pissenlit - France, See - Dandelion Root

Pistachia Terebinthus, See - Terebinth Oil

Pistachio, See - Witch Hazel

Pita Daru - Sanskrit, See - Berberis Aristata

Pitataila - Sanskrit, See - Jyotismati

Plant Before Cart, See - Plantain

Plantaginaceae, See - Psyllium

Plantaginaceae Family, See - Plantain

Plantaginaceae Family, See - Psyllium

Plantago Asiatica, See - Plantain

Plantago Asiatica, See - Psyllium

Plantago Asiatica L., See - Plantain

Plantago Depressa, See - Plantain

Plantago Depressa, See - Psyllium

Plantago Lanceolata, See - Plantain

Plantago Major, See - Plantain

Plantago Ovata, See - Psyllium

Plantago Ovato, See - Psyllium

Plantago Psyllium, See - Plantain

Plantago Psyllium, See - Psyllium

Plantago Seeds, See - Plantain

Plantago Species, See - Plantain

Plantain, See - Plantain

Plantain - Europe, See - Plantain

Plantain - Haiti, See - Plantain

Plantain - Iran, See - Plantain

Plantain - Poland, See - Plantain

Plantain Family, See - Plantain

Platycodon, See - Platycodon

Platycodon Grandiflorum, See - Platycodon

Platycodon Grandiflorum (Jacq.) A. Dc., See - Platycodon

Pleurisy Root, See - Pleurisy Root

Pleurisy Root - United States, See - Pleurisy Root

Pleurisyroot - South Carolina, See - Pleurisy Root

Pliha Satru - Sanskrit, See - Sara Punkha

Ploygonum Multiflorum Thunb, See - Tuber Of Multiflower Knotweed

Pluchea Lanceolata, See - Rasna

Plumbaginaceae Family, See - Chitrak

Plumbago Zeylanica, See - Chitrak

Plumbago Zeylonica, See - Chitrak

Plumuia Nelumbinis Nuciferae, See - Lotus Plumule

Pluriflorum (Miq.), See - Polygonatum

Po - China, See - Oak Gall

Po - China, See - Thuja

Po Fu Lan - China, See - Saffron

Po Ho - China, See - Pennyroyal

Po Ho - China, See - Peppermint

Po Hui Hsiang - China, See - Star Anise

Po Ku Chih - China, See - Psoralea Seeds

Po Ku Tsao - China, See - Horsetail

Po Kung Ying - China, See - Dandelion Root

Podo-Huirumu, See - Mandrake Root

Podophyllac Family, See - Mandrake Root

Podophyllum Peltatum, See - Mandrake Root

Pogolchi - Korean, See - Psoralea Seeds

Pogostemon Cablin, See - Patchouli

Pogostemon Patchouli, See - Patchouli Oil

Pois Rouge - Haiti, See - Haricot Bean

Pois Vanille - Haiti, See - Vanilla Oil

Poison Bulb, See - Sudarshan

Poison Ivv, See - Poison Oak

Poison Nut, See - Nux Vomica

Poison Oak, See - Poison Oak

Poivre De Moine - French, See - Vitex

Poke Root, See - Poke Root

Poke Weed, See - Lobelia

Pokeroot, See - Poke Root

Pokharmul - Hindi, See - Kustha Mula

Poleo (Mid.-W. U.S.), See - Horsemint

Poleo - Chile, See - Pennyroyal

Poleo - Spain, See - Pennyroyal

Polianthes Tuberosa, See - Tuberose Oil

Polipodio - Spain, See - Polypody Fern Root

Polygala, See - Seneca Snakeroot

Polygala Tenuifolia Willd., See - Seneca Snakeroot

Polygala Tenuifoliae, See - Seneca Snakeroot

Polygalaceae Family, See - Seneca Snakeroot

Polygayla Senega, See - Seneca Snakeroot

Polygonaceae, See - Ho Shou Wou

Polygonaceae, See - Knotgrass

Polygonaceae, See - Rhubarb Root

Polygonaceae Family, See - Bistort

Polygonaceae Family, See - Ho Shou Wou

Polygonaceae Family, See - Knotgrass

Polygonaceae Family, See - Rhubarb Root

Polygonaceae Family, See - Sheep Sorrel

Polygonaceae Family, See - Water Pepper

Polygonaceae Family, See - Yellow Dock

Polygonaceae Family, See - Yellow Dock Root

Polygonatum, See - Polygonatum

Polygonatum Odoratum (Mill.) Druce Var., See - Polygonatum

Polygonatum Officinalis, See - Polygonatum

Polygonatum Sp., See - Solomon's Seal

Polygonum, See - Knotgrass

Polygonum Aviculare, See - Knotgrass

Polygonum Bistorta, See - Bistort

Polygonum Cuspidatum Sieb. Et Zucc., See - Knotgrass

Polygonum Hosuwu, See - Ho Shou Wou

Polygonum Hydropiper, See - Water Pepper

Polygonum Multiflorum, See - Ho Shou Wou

Polygonum Multiflorum Thunb., See - Ho Shou Wou

Polyphyllum Emodi - Indian Variety, See - Mandrake Root

Polypodiaceae Family, See - Male Fern

Polypodiaceae Family, See - Polypody Fern Root

Polypodium Vulgare, See - Polypody Fern Root

Polypody, See - Polypody Fern Root

Polypody - Europe, See - Polypody Fern Root

Polypody Fern Root, See - Polypody Fern Root

Polyporaceae, See - Fu Ling

Polyporaceae Family, See - Fu Ling

Polyporous Tuberaster, See - Fu Ling

Pomegranate, See - Pomegranate

Pomegranate - Europe, See - Pomegranate

Pomegranate - United States, See - Pomegranate

Pomegranate Bark, See - Pomegranate Bark

Pomegranate Husk, See - Pomegranate

Pomme Epineuse - France, See - Datura

Pomme Epineuse - Haiti, See - Datura

Pomme Grenade - Haiti, See - Pomegranate

Pomme Poison - Haiti, See - Datura

Pomogranado - Haiti, See - Pomegranate

Pongnyong - Korean, See - Fu Ling

Poor Man's Treacle, See - Garlic

Poplar, See - Poplar

Poplar Bud, See - Poplar

Poplar Plant, See - Rosemary

Poplarblack - Europe, See - Poplar

Poppy Family, See - California Poppy

Poppy Family, See - Celandine - Greater

Poppy Family, See - Fumitory

Poppy Seeds, See - Poppy Seeds

Populus Balsamifera, See - Poplar

Populus Candicans And Other Sp., See - Poplar

Populus Fremintii, See - Poplar

Populus Nigra, See - Poplar

Populus Species, See - Poplar

Populus Termuloides, See - Poplar

Populus Tremula, See - Poplar

Populus Tremuloides, See - Poplar

Poria, See - Fu Ling

Poria Cocos (Schw.) Wolf, See - Fu Ling

Portulaca, See - Purslane

Portulaca Quadrifida, See - Laghu

Portulacaceae Family, See - Bitterroot

Portulacaceae Family, See - Laghu

Portulacaceae Family, See - Purslane

Portulacaeae, See - Purslane

Portulaceae Oleraceae, See - Purslane

Pot Marjoram - Europe, See - Oregano

Potentilla Anserina, See - Silverweed

Potentilla Erecta, See - Tormentil

Potentilla Silvestris, See - Tormentil

Potentilla Tormentilla, See - Tormentil

Poterium, See - Poterium

Poterium Spinosum, See - Poterium

Powdered Talc, See - Abrak Bhasma

Powerful Soul Root, See - Clematis

Prasarani - Sanskrit, See - Paederia Foetida

Prasarni, See - Paederia Foetida

Prele - Haiti. See - Horsetail

Prepared Accessory Root Of Szechuan Acon, See - Aconite

Prickly Ash, See - Prickly Ash

Prickly Ash, See - Prickly Ash Bark

Prickly Ash Bark, See - Prickly Ash Bark

Priest's Crown, See - Dandelion Root

Priest's Crown, See - Dandelion Root

Primavera - Spain, See - Primula

Primrose, See - Primula

Primula, See - Primula

Primula Elatior, See - Primula

Primula Officinalis, See - Primula

Primula Veris, See - Primula

Primula Vulgaris, See - Primula

Primulaceae Family, See - Primula

Primulaceae Family, See - Starflower

Prince Ginseng, See - Prince Ginseng

Prince's Pine, See - Pipsissewa

Privet, See - Privet

Privet Fruit, See - Privet

Provence Rose - German, See - Rose Oil

Prunella, See - Self Heal

Prunella Vulgaris, See - Self Heal

Pruni Armeniacae, See - Apricot Kernel

Prunus Armeniaca, See - Apricot Kernel

Prunus Armeniaca L., See - Bitter Apricot

Prunus Armeniaca L. Var. Ansu, See - Bitter Apricot

Prunus Armeniaca L. Var. Ansu Maxim., See - Apricot Kernel

Prunus Armeniaca Linne, See - Sweet Apricot

Prunus Mandshurica Koehne, See - Bitter Apricot

Prunus Persica, See - Peach Bark

Prunus Persica, See - Peach Seed

Prunus Persica (L.) Batsch., See - Peach Seed

Prunus Serotina, See - Wild Cherry Bark

Prunus Sibirica L., See - Bitter Apricot

Prunus Sp., See - Wild Cherry Bark

Prunus Spinosa, See - Blackthorn

Prunus Virginiana, See - Wild Cherry Bark

Pseudoginseng Root, See - Pseudoginseng Root

Pseudostellariae Heterophyllae, See - Prince Ginseng

Psillium Seeds, See - Plantain

Psoralea Corylifolia, See - Psoralea Seeds

Psoralea Corvlifolia L., See - Psoralea Seeds

Psoralea Esculenta. See - Psoralea Seeds

Psoralea Fruit, See - Psoralea Seeds

Psoralea Melitotoidea, See - Psoralea Seeds

Psoralea Seeds, See - Psoralea Seeds

Psyllium, See - Psyllium

Psyllium - Europe, See - Psyllium

Psyllium - Mediterranean, See - Psyllium

Psyllium Seed, See - Psyllium

Pu Gong Ying, See - Dandelion Root

Pu Ku Chih - China, See - Psoralea Seeds

Pu Kung Ying - China, See - Dandelion Root

Puchaput - India, See - Patchouli Oil

Pueraria, See - Kudzu Root

Pueraria Lobata (Willd.) Ohwi., See - Kudzu Root

Pueraria Tuberosa, See - Kudzu Root

Puerariae Lobata Et Thunbergiana, See - Kudzu Root

Puja - Korean, See - Aconite

Pukeweed, See - Lobelia

Pulmonaria, See - Sticta

Pulmonaria - Spain, See - Lungwort

Pulmonaria Officinalis, See - Lungwort

Pulsatila - Spain, See - Pulsatilla

Pulsatilla, See - Pulsatilla

Pumpkin Seeds, See - Pumpkin Seeds

Pumpkin Seeds And Husks, See - Pumpkin Seeds

Punarnava, See - Punarnava

Puncture-Vine Fruit, See - Caltrop

Pungent, See - Wormwood

Punica Granatum, See - Pomegranate

Punica Granatum, See - Pomegranate Bark

Punica Granatum L., See - Pomegranate

Punicaceae, See - Pomegranate

Punicaceae Family, See - Pomegranate

Punicaceae Family, See - Pomegranate Bark

Punir - Hindi, See - Ashwaganda

Punk Mushroom, See - Coriolus Versicolor

Pura - Sanskrit, See - Guggul

Purging Buckthorn - Europe, See - Buckthorne Bark

Purging Cassia - English, See - Cassia Fistula

Purper Leverkruid - Dutch, See - Gravel Root

Purple Aster Root, See - Aster Root

Purple Clover, See - Red Clover

Purple Cone Flower, See - Echinacea

Purple Coneflower, See - Echinacea

Purple Gentian - G. Purpurea, See - Gentian

Purple Loosestrife, See - Loosestrife

Purple Medic, See - Alfalfa

Purple Perilla Fruit, See - Shiso

Purple Tephrosia, See - Sara Punkha

Purslane, See - Purslane

Pushka Moor, See - Lotus Leaf

Pushkara, See - Lotus Leaf

Pushkara, See - Lotus Root

Pushkaramula, See - Elecampane Flowers

Pushkarmul - India. See - Orris Root

Puskara Mula, See - Kustha Mula

Pussy Willow, See - Willow

Pweve Dewe - Belgium, See - Water Pepper

Pyinyuang - Burmese, See - Banyan

Pyrethrum, See - Feverfew

31

Pyrethrum Parthenium, See - Feverfew

Pyrola, See - Pyrola

Pyrola Rotundifolia, See - Pyrola

Pyrolaceae Family, See - Pyrola

Pyrolaround-Leaved - United States, See - Pyrola

Pyrole A Grappes - French, See - Pyrola

Qabagh - Turkey, See - Pumpkin Seeds

Qadifah - Iraq, See - Tagetes Oil

Qaragus - Iraq, See - Calendula

Qayin Aghaji - Turkey, See - Birch Bark

Qian Cao, See - Madder Root

Qianshi, See - Water Lily

Qoten - Iraq, See - Cotton Root

Quack Grass - United States, See - Couchgrass

Quackgrass, See - Couchgrass

Quaker Bonnet - United States, See - Skullcap

Quaking Aspen, See - Poplar

Queen Of The Meadow, See - Meadowsweet

Queen Of The Meadow Oil, See - Queen Of The Meadow Oil

Queens Delight - English, See - Stillingia

Queens Delight - Georgia, See - Stillingia

Queens Delight - United States, See - Stillingia

Queens Root - English, See - Stillingia

Queens Root - United States, See - Stillingia

Quercus Alba, See - Oak Bark

Quercus Pertaea, See - Oak Bark

Quercus Robur, See - Oak Bark

Quercus Sp., See - Oak Bark

Quercus Species, See - Oak Gall

Quickgrass, See - Couchgrass

Quinine - A Constituent, See - Chinchona

Qunja Gul - Turkey, See - Rose Oil

Qurtum - Iraq, See - Safflower

Qush Aghaji - Turkey, See - Birch Bark

Qutainah - Kurdistan, See - Horehound

R. Glutinosa, See - Rehmannia

R. Manjishta, See - Madder Root

R. Secunda, See - Madder Root

R. Tanguticum, See - Rhubarb Root

Rabano - Dominican Republic, See - Celery Seeds

Rabano - Dominican Republic, See - Radish

Rabano - Spain, See - Radish

Raccoonberry, See - Mandrake Root

Radis - Haiti, See - Radish

Radis Marron - Haiti, See - Radish

Radish, See - Radish

Radish - United Kingdom, See - Radish

Radish - United States, See - Radish

Radish Seed. See - Radish

Radish Seeds, See - Radish

Radix Angelicae Dahuricae, See - Angelica

Radix Arnebiae Seu Lithospermi, See - Gromwell

Radix Astragali, See - Astragalus

Radix Astragali Membranaceus, See - Astragalus

Radix Aucklandiae Lappae, See - Saussurea

Radix Bardanae, See - Burdock Root

Radix Bupleuri, See - Bupleurum Root

Radix Clematidis, See - Clematis

Radix Codonopsitis Pilosulae, See - Codonopsis

Radix Cynoglossum - Greece, See - Hound's Tongue

Radix Dichroae, See - Antipyretic Dichroa

Radix Dioscoreae Oppositae Botanical, See - Dioscorea

Radix Ephedra, See - Ephedra Root

Radix Ephedrae, See - Ephedra

Radix Et Rhizoma Oryzae, See - Glutinous Rice Roots

Radix Et Rhizoma Polygoni, See - Knotgrass

Radix Et Rhizoma Rhei, See - Rhubarb Root

Radix Euphorbiae Seu Knoxiae, See - Euphorbia

Radix Gentianae Longdancao, See - Gentian

Radix Ginseng, See - Ginseng

Radix Glycyrrhizae Uralensis, See - Licorice

Radix Isatidis Seu Baphicacanthi, See - Isatis

Radix Lateralis Aconiti Carmichaeli, See - Aconite

Radix Ligustici Chuanxiong, See - Ligusticum

Radix Luteae, See - Gentian

Radix Morindae Officinalis, See - Morinda

Radix Notoginseng, See - Pseudoginseng Root

Radix Paeoniae, See - Peony - White

Radix Paeoniae Rubrae, See - Peony Root - Red

Radix Panacis Quinquefolii, See - American Ginseng

Radix Phytolaccae, See - Poke Root

Radix Platycodi Grandiflori, See - Platycodon

Radix Polygalae Tenuifoliae, See - Seneca Snakeroot

Radix Polygoni Mulitflori, See - Tuber Of Multiflower Knotweed

Radix Polygoni Multiflori, See - Ho Shou Wou

Radix Puerariae. See - Kudzu Root

Radix Pulsatillae Chinensis, See - Pulsatilla

Radix Rehmannia, See - Rehmannia

Radix Rehmannia Preaparatae, See - Rehmannia

Radix Rehmanniae Glutinosae, See - Rehmannia

Radix Rubiae Cordifoliae, See - Madder Root

Radix Salviae Miltiorrhizae, See - Sage

Radix Scrophulariae, See - Figwort

Radix Scutellariae Baicalensis, See - Skullcap

Radix Stellariae Dichotomae, See - Chickweed

Radix Trichosanthis Kirilowii. See - Trichosanthes

Raifukushi - Japanese, See - Radish

Raihan Al Malik - Iraq, See - Basil

Raihan Jabaili - Iraq, See - Oregano

Raihana - Kurdistan, See - Basil

Raihana Kiwilka - Iraq, See - Oregano

Rainan - Turkey, See - Basil

Rajani, See - Turmeric

Rajavriksha, See - Senna

Rakanka - Japanese, See - Momordica Fruit

Rakutu-Karyumu-So, See - Wild Lettuce

Ramatha - Sanskrit, See - Asafoetida

Ramulus Cinnamomi Cassiae, See - Cinnamon Branch

Ramulus Cum Uncis Uncariae, See - Gambir

Ramulus Mori Albae, See - Mulberry Branch

Ramulus Sangjisheng, See - Loranthus

Ramulus Uncariae Cum Uncis, See - Gambir

Ramunusuzyutu-No-Ki, See - Buckthorne Bark

Rand - Hindi, See - Castor Oil

Ranukabija - India, See - Vitex

Ranunculace Family, See - Goldenseal

Ranunculaceae, See - Aconite

Ranunculaceae. See - Blue Cohosh

Ranunculaceae, See - Clematis

Ranunculaceae, See - Coptis

Ranunculaceae, See - Peony Root - Red

Ranunculaceae, See - Pulsatilla

Ranunculaceae, See - Tree Peony

Ranunculaceae Family, See - Aconite

Ranunculaceae Family, See - Black Cohosh

Ranunculaceae Family, See - Buttercup

Ranunculaceae Family, See - Clematis

Ranunculaceae Family, See - Coptis

Ranunculaceae Family, See - Delphinium

Ranunculaceae Family, See - Golden Seal Herb

Ranunculaceae Family, See - Goldenseal

Ranunculaceae Family, See - Peony Root

Ranunculaceae Family, See - Pulsatilla

Ranunculaceae Family, See - Tree Peony

Ranunculus Bulbosus Et Species, See - Buttercup

Raphani Sativi, See - Radish

Raphanus, See - Radish

Raphanus Sativus, See - Radish

Raphanus Sativus Niger - Black Radish, See - Radish

Raphanus Sativus Radiola - Red Variety, See - Radish

Rapuntium I, See - Lobelia

Rashona. See - Garlic

Rasna, See - Rasna

Raspberry - Berries, See - Blackberry

Raspberry Leaves, See - Raspberry Leaves

Raspbis, See - Raspberry Leaves

Rasvat - Hindi, See - Berberis Aristata

Rattanjot - India, See - Vinca Rosea

Rattle Root, See - Black Cohosh

Rattle Root - English, See - Black Cohosh

Rattle Weed, See - Black Cohosh

Rauwolfia, See - Rauwolfia

Rauwolfia Serpentina, See - Rauwolfia

Ravensara Aromatica, See - Ravensara Oil

Ravensara Oil. See - Ravensara Oil

Rawend, See - Rhubarb Root

Raziyana - Kurdistan, See - Anise Seed

Raziyane - Turkey, See - Fennel Seed

Recana - Sanskrit, See - Cassia Fistula

Receptaculum Nelumbinis, See - Lotus Stamens

Red Cedar - United States, See - Cedarwood Oil

Red Centaury, See - Centaury

Red Clover, See - Red Clover

Red Clover - Australia, See - Red Clover

Red Clover - Eurasia, See - Red Clover

Red Clover - Europe, See - Red Clover

Red Clover - Russia, See - Red Clover

Red Clover - Uk, See - Red Clover

Red Clover - United States, See - Red Clover

Red Clover Blossoms, See - Red Clover

Red Cole, See - Horseradish

Red Elm, See - Slippery Elm

Red Foxglove, See - Foxglove

Red Gravel - United States, See - Gravel Root

Red Peony Root, See - Peony Root - Red

Red Pepper, See - Cayenne Pepper

Red Rasberry, See - Raspberry Leaves

Red Raspberry, See - Raspberry Leaves

Red Raspberry - Europe, See - Raspberry Leaves

Red Raspberry Leaves, See - Raspberry Leaves

Red Root, See - Ceanothus

Red Sandalwood. See - Red Sandalwood

Red Stalked Aster, See - Aster Root

Red-Crowned Crane Plant, See - Agrimony

Redroot - United States, See - Ceanothus

Reed Grass, See - Reed Grass

Reed Rhizome, See - Reed Grass

Regaliz - Spain, See - Licorice

Reglisse Glabre - French, See - Licorice

Rehmannia, See - Rehmannia

Rehmannia (Fresh), See - Rehmannia

Rehmannia Glutinosa, See - Rehmannia

Rehmannia Glutinosa (Gaertn.) Libosch., See - Rehmannia

Rehmannia Glutinosa Libosch, See - Rehmannia

Rehmannia Glutinosa Lisbosh. See - Rehmannia

Reishi, See - Reishi

Reishi Mushroom, See - Reishi

Reishikaku - Japanese, See - Leechee Nut

Rejil Al Hamam - Iraq, See - Vervaine

Related Species: White Walnut, See - Walnuts

Ren Shen, See - Ginseng

Renbo - Japanese, See - Lotus Stamens

Rendi - Hindi, See - Castor Oil

Renshi - Japanese, See - Lotus Seed

Renshin - Japanese, See - Lotus Plumule

Resin Of Rose Maloes, See - Styrax

Rest Harrow - Europe, See - Ononis

Restharrow - Europe, See - Ononis

Rezene - Turkey, See - Fennel Seed

Rhabarber - German, See - Rhubarb Root

Rhamnaceae. See - Buckthorne Bark

Rhamnaceae, See - Cascara Bark

Rhamnaceae, See - Jujube Dates

Rhamnaceae, See - Zizyphus

Rhamnaceae Family, See - Buckthorne Bark

Rhamnaceae Family, See - Cascara Bark

Rhamnaceae Family, See - Ceanothus

Rhamnaceae Family, See - Frangula

Rhamnaceae Family, See - Jujube Dates

Rhamnus Cathartica, See - Buckthorne Bark

Rhamnus Catharticus, See - Buckthorne Bark

Rhamnus Frangula, See - Buckthorne Bark

Rhamnus Frangula, See - Frangula

Rhamnus Purshiana, See - Cascara Bark

Rhamnus Purshianus, See - Cascara Bark

Rheum Officinale, See - Rhubarb Root

Rheum Palmatum, See - Rhubarb Root

Rheum Palmatum L., See - Rhubarb Root

Rheum Palmatum Var. Tanguticum, See - Rhubarb Root

Rheum Rhaponticum, See - Garden Rhubarb

Rheum Sp., See - Rose Flowers And Fruit

Rheum Species, See - Rhubarb Root

Rheum Tanguticum, See - Rhubarb Root

Rheumatism Ginseng, See - Rheumatism Ginseng

Rheumatism Weed, See - Pipsissewa

Rhizoma Acori Graminei, See - Calamus

Rhizoma Alismatis Orientalitis, See - Water Plantain

Rhizoma Alpiniae Officinari, See - Galangal

Rhizoma Arisaematis, See - Jack In The Pulpit

Rhizoma Atractylodis, See - Atractylodes

Rhizoma Cimicifugae, See - Blue Cohosh

Rhizoma Coptidis, See - Coptis

Rhizoma Corydalis Yanhusuo, See - Corydalis

Rhizoma Curcumae Ezhu, See - Zedoaria

Rhizoma Curcumae Longae, See - Turmeric

Rhizoma Cyperi Rotundi, See - Cyperus

Rhizoma Et Radix Ligustici, See - Ligusticum Wallichii

Rhizoma Et Radix Veratri Nigri, See - Hellebore American

Rhizoma Guanzhong, See - Male Fern

Rhizoma Phragmitis, See - Reed Grass

Rhizoma Pinelliae Ternatae, See - Pinellia

Rhizoma Polygonati Odorati, See - Polygonatum

Rhizoma Zingiberis Officinalis, See - Ginger

Rhizoma Zingiberis Officinalis, See - Ginger - Dried

Rhubarb, See - Garden Rhubarb

Rhubarb, See - Rhubarb Root

Rhubarb - Australia, See - Garden Rhubarb

Rhubarb - Europe, See - Garden Rhubarb

Rhubarb - United States, See - Garden Rhubarb

Rhubarb De Perse - French, See - Rhubarb Root

Rhubarb Root, See - Rhubarb Root

Rhubarb Root And Rhizome, See - Rhubarb Root

Rhus Glabra, See - Sumac

Rhus Toxicondendron, See - Poison Oak

Rhynchophylla (Miq.), See - Gambir

Ribbed Melilot, See - Melilot

Ribes Nigrum, See - Black Currant

Ribes Rubrum, See - Black Currant

Riblah - Iraq, See - Psyllium

Ribwort, See - Plantain

Ribwort - Uk - Wales, See - Plantain

Ribwort Plantain, See - Plantain

Rice - California. See - Glutinous Rice Roots

Rice - India, See - Glutinous Rice Roots

Rice - Mauritius, See - Glutinous Rice Roots

Rice Sprout, See - Rice Sprouts

Rice Sprouts, See - Rice Sprouts

Ricin - French, See - Castor Oil

Ricinus Communis. See - Castor Oil

Ricinus D'coccus, See - Castor Oil

Ringormgras - Norway, See - Sundew

Ripplegrass, See - Plantain

Riz - Haiti, See - Glutinous Rice Roots

Roberia-So - Chinese, See - Lobelia

Roble - Spain, See - Oak Gall

Roble - Spanish, See - Oak Bark

Rock Parsley, See - Parsley

Rockrose Oil, See - Rockrose Oil

Rojmari - India, See - Yarrow

Rolleka - Swedish, See - Yarrow

Rollike - Danish, See - Yarrow

Roma-Kamiture, See - Chamomile

Roman Chamomile, See - Chamomile Oil

Romarin - Belgium, See - Rosemary Oil

Romarin - Haiti, See - Rosemary Oil

Romarin Du Pays - Haiti, See - Rosemary Oil

Romero - Chile, See - Rosemary Oil

Romero - Dominican Republic, See - Rosemary Oil

Romero - Peru, See - Rosemary Oil

Romero - Spain, See - Rosemary Oil

Romero Comun - Chile, See - Rosemary Oil

Rondbladig Wintergroenkruid - Dutch, See - Pyrola

Root Of The Balloon Flower, See - Platycodon

Rorippa Nasturtium, See - Watercress

Ros Solis - Europe, See - Sundew

Rosa Canina, See - Rose Hips

Rosa Centifolia (Cabbage Rose), See - Rose Oil

Rosa Centofoglie - Italian, See - Rose Oil

Rosa Chinensis Et Species, See - Rose Flowers And Fruit

Rosa Damascena (Damask Rose), See - Rose Oil

Rosa Del Peru - Dominican Republic, See - Oleander

Rosa Family, See - Raspberry Leaves

Rosa Francesa, See - Oleander

Rosa Laevigata Michx, See - Japanese Honeysuckle

Rosa Sp., See - Rose Flowers And Fruit

Rosa Sp., See - Rose Hips

Rosaceae, See - Agrimony

Rosaceae, See - Apricot Kernel

Rosaceae, See - Hawthorne Berry

Rosaceae, See - Locquat Leaves

Rosaceae, See - Peach Seed

Rosaceae Family, See - Agrimony

Rosaceae Family, See - Apricot Kernel

Rosaceae Family, See - Blackberry

Rosaceae Family, See - Burnet Root

Rosaceae Family, See - Hawthorne Berry

Rosaceae Family, See - Japanese Honeysuckle

Rosaceae Family, See - Lady's Mantle

Rosaceae Family, See - Locquat Leaves

Rosaceae Family, See - Meadowsweet

Rosaceae Family, See - Peach Bark

Rosaceae Family, See - Peach Seed

Rosaceae Family, See - Queen Of The Meadow Oil

Rosaceae Family, See - Raspberry Leaves

Rosaceae Family, See - Rose Flowers And Fruit

Rosaceae Family, See - Rose Hips

Rosaceae Family, See - Rose Oil

Rosaceae Family, See - Rose Petals

Rosaceae Family, See - Strawberry Leaves

Rosaceae Family, See - Tormentil

Rosaceae Family, See - Wild Cherry Bark

Rosae Rugosae, See - Rose Petals

Rosal Silvestre - Spain, See - Rose Hips

Rose, See - Rose Hips

Rose - Europe, See - Rose Oil

Rose Apple, See - Rose Apple

Rose Bay, See - Oleander

Rose De Mai (Centifolia), See - Rose Oil

Rose Family, See - Agrimony

Rose Family, See - Lady's Mantle

Rose Family, See - Tormentil

Rose Flowers And Fruit. See - Rose Flowers And Fruit

Rose Hips, See - Rose Hips

Rose Oil, See - Rose Oil

Rose Petals, See - Rose Petals

Roseacea Family, See - Silverweed

Roseaceae, See - Hawthorne Berry

Roseapple, See - Rose Apple

Roselle - Haiti, See - Hibiscus

Rosemarinus Offinalis, See - Rosemary

Rosemary, See - Rosemary

Rosemary - Europe, See - Rosemary Oil

Rosemary - United Kingdom, See - Rosemary Oil

Rosemary Oil, See - Rosemary Oil

Rosewood Oil, See - Rosewood Oil

Rosina - India, See - Garlic

Rosmarinus Officinalis, See - Rosemary

Rosmarinus Officinalis, See - Rosemary Oil

Rosskastanie - German, See - Horse Chestnut

Roter Sonnenhut - German, See - Echinacea

Roter Wasserhanf - German, See - Gravel Root

Rotundus L., See - Cyperus

Rou Dou Kou, See - Nutmeg

Rough Basil, See - Tulasi

Round Cardamon Fruit, See - Cardamon

Round-Leaved Wintergreen - United States, See - Pyrola

Rovere - Germany, See - Oak Bark

Rshad - Iraq, See - Watercress

Rubia - Spain, See - Madder Root

Rubia Cordifolia, See - Madder Root

Rubia Cordifolia L., See - Madder Root

Rubia Root, See - Madder Root

Rubia Tinctorum, See - Madder Root

Rubiacea Family, See - Cat's Claw

Rubiaceae, See - Euphorbia

Rubiaceae, See - Gambir

Rubiaceae, See - Gardenia Flowers

Rubiaceae, See - Madder Root

Rubiaceae, See - Morinda

Rubiaceae (Uncaria), See - Gambir

Rubiaceae Family, See - Chinchona

Rubiaceae Family, See - Cinchona Bark

Rubiaceae Family, See - Cleavers

Rubiaceae Family, See - Couterea

Rubiaceae Family, See - Gambir

Rubiaceae Family, See - Gardenia Flowers

Rubiaceae Family, See - Ipecac

Rubiaceae Family, See - Madder Root

Rubiaceae Family. See - Morinda

Rubiaceae Family, See - Squaw Vine

Rubiaceae Family, See - Yohimbine

Rubiae Cordifoliae, See - Madder Root

Rubiae Tinctoria, See - Madder Root

Rubis Strigosus (Wild), See - Raspberry Leaves

Rubis Idaeus (Cultivated), See - Raspberry Leaves

Rubuka - Sanskrit, See - Castor Oil

Rubus Fructicosus, See - Blackberry

Rubus Idaeus, See - Raspberry Leaves

Rubus Idaeus & R. Strigosus, See - Raspberry Leaves

Rubus Ideaus, See - Raspberry Leaves

Rubus Sp., See - Blackberry

Rubus Sp., See - Raspberry Leaves

Rubus Species, See - Blackberry

Rubus Villosus, See - Blackberry

Ruda - Spain, See - Rue

Rudbeckia, See - Echinacea

Rudbeckie Rouge - French, See - Echinacea

Rue, See - Rue

Rue - Europe, See - Rue

Rue - Mediterranean, See - Rue

Rue - Ukwales, See - Rue

Rue Fetide - France, See - Rue

Rum Cherry - United States, See - Wild Cherry Bark

Rumex Acetosella, See - Sheep Sorrel

Rumex Crispa, See - Yellow Dock

Rumex Crispus, See - Yellow Dock

Rumex Crispus, See - Yellow Dock Root

Rumi Papatya - Turkey, See - Chamomile

Rumman - Iraq, See - Pomegranate

Rupturewort, See - Rupturewort

Ruri-Zisa, See - Borage

Rusco - Spain, See - Butcher's Broom

Ruscus Aculeatus, See - Butcher's Broom

Ruscus Aculeatus L. (Liliaceae), See - Butcher's Broom

Rushes, See - Horsetail

Ruta - Norway, See - Rue

Ruta Graveolens, See - Rue

Rutaceae, See - Orange

Rutaceae, See - Prickly Ash

Rutaceae, See - Tangerine Oil

Rutaceae, See - Tangerine Peel

Rutaceae Family, See - Bergamot Oil

Rutaceae Family, See - Bilva

Rutaceae Family, See - Bitter Orange

Rutaceae Family, See - Buchu

Rutaceae Family, See - Grapefruit Oil

Rutaceae Family, See - Green Citrus

Rutaceae Family, See - Lemon Oil

Rutaceae Family, See - Lemon Peel

Rutaceae Family, See - Lime Oil

Rutaceae Family, See - Mandarin Orange

Rutaceae Family, See - Orange

Rutaceae Family, See - Orange Blossom Oil

Rutaceae Family, See - Orange Oil

Rutaceae Family, See - Prickly Ash Bark

Rutaceae Family, See - Rue

Rutaceae Family, See - Tangerine Oil

Ruz - Iraq, See - Glutinous Rice Roots

Ryuganniku - Japanese, See - Longan Berries

Ryuno - Japanese, See - Borneol Oil

Ryutan - Japanese, See - Gentian

The List of References

A Barefoot Doctor's Manual, Revolutionary Health Committee, 1974, Cloudburst

A Field Guide to Medicinal Plants, Foster & Duke, Houghton Mifflin

A Guide to the Medicinal Plants of the United States, Krochmal, 1973

A Modern Herbal, Mrs. M. Grieve

Antiproliferativo Su Cellule Tumorale, Peluso Et Al, ACTAS II, 1993

Aromatherapy Handbook, 1991, Erich Keller

Ayurvedic Healing, Dr. David Frawley, Passage Press, 1989

Back To Eden, Jethro Kloss

Between Heaven and Earth, Harriet Peinfield & Efrem Korngold

Blakensen's New Gould Medical Dictionary

Checklist of the Indigenous Woody Plants of British Guiana, Fanshawe, 1949

Chinese-Planetary Herbal Diagnosis, Michael and Lesley Tierra

Chinese Herbal Medicine, Formulas & Strategies, D. Bensky, R. Barolet

Chinese Herbal Medicine, Li, Dhew Publication

Chinese Herbal Patent Formulas, Jake Fratkin

Chinese Herbal Remedies, Leung, Universe Books

Chinese Herbs, Keys, John D., 1976, Charles E. Tuttle Company, Tokyo

Chinese Medicinal Herbs, Shih-Chem, Li, 1973, Georgetown Press

Clinical Handbook of Chinese Prepared Medicines, Chun-Han Zhu

Codex Vegetabilis, Steinmetz, 1957, Amsterdam

Complete Aromatherapy Handbook, Susanne Fischer-Rizzi

Composition of Cereal Grains, Miller, 1958

Diccionario Botanico De Nombres Vulgares De La Esponola, Liogier, 1974

Dictionary of Economic Plants, 2nd Ed., UPHOF, 1968, Verlag

Dictionary of Plants Containing Secondary Metabolites, Blasby, 1991

Dorland's Illustrated Medical Dictionary, 25th Ed.

Drugs & Foods from Little-Known Plants, Altschul, Siri von Reis, 1973, Harvard

Economic Botany, Society for Economic Botany, NY Botanical Garden

El Pan De America, E. Estrella, 1990

Elementary Treatise in Herbology, Edward Shook

Encylopedia of Common Natural Ingredients, Leung, 1980, Wiley, NY

Ethnopharmacagnostic Observations on Panamanian Medicinal Plants, GUPTA 1979.

Everybody's Guide to Homeopathic Medicines, Cummings & Ullman

Father Nature's Farmacy, Jim Duke

Flora of Egypt, Vol. 1-4, Tackholm, Vivi and Gunnar, 1973

Flora of Guatemala, Standley & Steyermark, 1952

Flora of Lestho (Basutoland), Guillarmod, Amy Jacot, 1971, Germany

Flora of the Sudan, Broun & Massey, 1929, Sudan Government Office, London

From Eden to Aquarius, Greg Brodsky

Funk and Wagnalls Standard College Dictionary

GlobalHerb Information Summary, Steve Blake, 1996

Hager's Handbuch Der Pharmazeutischen Praxis, List

Handbook of Medicinal Herbs, Duke, J.A., 1985, CRC Press

42

Hegnauer's Chemotaxonomie Der Pflanzen (7 Vols.)

Herbal Emissaries, Steven Foster & Yue Chong XI, 1992

Herbal Handbook Regarding Health Maintenance and Curative Self-Care, James Green

Herbal Medications, Spoerke

Herbal Medicine, Rudolf Weiss

Herbal Pharmacology in the Peoples Republic of China, NAS, Washington, D.C.

Herbalism of the 1990's Medicine of the Past - Medicine of the Future, American Herbalists Guild

Herbs of the Amazon, Dr. Donna Schwontkowski, 1995

Honest Herbal, Varro Tyler

Indian Herbology of North America, Alma Hutchens

Indian Materia Medica, Nadkarni, B., Jain Pub, India, 1993

International Journal of Oriental Medicine

Isthmian Ethnobotanical Dictionary, Duke, James A., 1972

Japanese Medicinal Plants. Vol. 1, Kimura, Koiti, 1962, Hirokawa Pub. Co., Tokyo

Journal of Agriculture & Food Chemistry

Journal of Chemical Ecology

Journal of Essential Oil Research

Journal of Food Science

Journal of Natural Products

Journal of Naturopathic Medicine

Journal of Plant Nutrition

Journal of the Linnaean Society

Kings American Dispensatory, Felter-Lloyd

Kombucha, Manchurian Tea Mushroom, Christopher Hobbs, Botanica Press, 1995

Kyoto Herbal Garden, Pharmacognostic Research Lab., Kyoto, Japan

Las Plants Medicinales De Mexico, Martinez, Maximino, 1969

Les Plantes et Les Legumes d'Haiti Qui Guerissent, Brutus & Pierce-Noel, 1960

Legendary Chinese Healing Herbs, Henry C. Lu, Sterling, 1991

Manual De Las Plantas Usuales De Venezuela, Pittier, H., 1926

Materia Medica with Repertory, Boericke

Med. Plants of China 2 Volumes, Duke & Ayensu, 1985 Ref. Pubs.

Medical Botany, Lewis, Walter, 1977, Wiley, NY

Medicinal and Poisonous Plants of S. and E. Africa, 2nd Ed, Watt

Medicinal Plants of India

Medicinal Plants of Iraq Technical Bulletin, Al-Rawi, Ali, 1964, no. 15

Medicinal Plants of Nepal, Singe, 1979

Medicinal Plants of the Mountain West, Michael Moore

Medicinal Plants of West Africa, Ayensu, Edward, 1978, Reference Pub's, Inc.

Napralert

Natural Healing with Herbs, Humbart Santillo, Hohm Press

Nature Has a Remedy, Bernard Jensen

Nature's Field, Steven Horne, 1991

Nature's Medicines, Richard Lucas

New Honest Herbal, Varro Tyler

Nutricomp data Base, Laferriere, J.E., 1988

Nutrition Almanac, Lavon Dunne, 1990

Nutritional Herbology, Pedersen, 1987

Nutritional Influences on Illness, Werbach

Outline Guide to Chinese Herbal Patent Medicines, Margaret Naeser

Pakistan Encyclopedia Planta Medica, 1986

Phytochemical Flora of Qatar, Rizk

Phytochemistry of the Horticultural Plants of Qatar, 1989

Planetary Herbology, Michael Tierra, Lotus Press

Plantas Medicinales El Dioscorides Renovado, Font Quer, 1979, Barcelona, 5th Ed.

Plantes Medicinales Et Phytotherapie

Plants Used Against Cancer, A survey, Hartwell 1967-71, Loydia

Prescription for Nutritional Healing, Balch & Balch, 1990

Principles of Natural Living, Charles H. Gesser

Product Guide, Michael Corrigan, 1991

Proherb, Steve Blake, Falcor

Pycnogenols, Superstar Nutrients, James Krystosik, 1995

Raw Vegetable Juices, N.W. Walker

Remedies and Indications, Boiron-Borneman

School of Natural Healing, John Christopher

Science of Herbal Medicine, John Heinerman

Some Folk Medicinal Plants from Trinidad, Wong, Weesley, 1976

Stedman's Medical Dictionary

Stedman's Medical Dictionary - Electronic

Summaries on 2,000 Economic Plants, Duke, J.A., USDA, ARS

Taber's Cyclopedic Medical Dictionary, 14th Edition

Textbook of Modern Herbology, Terry Willard, Progressive

Textbook of Natural Medicine, Pizzorno & Murray, 1985

The Aromatherapy Handbook, Erich Keller, 1991

The Art of Aromatherapy, Robert Tisserand, 1989

The Bichemic Handbook, Chapman and Perry, 1976

The Complete Book of Essential Oils, Worwood

The Dictionary of Modern Herbalism, Simon Mills, Thorsons

The Essential Book of Tradtional Chinese Medicine Vol. 1, Liu, Columbia U. Press

The Essential Oils, 6 Vols., Guenther, 1948-1952, Van Nostrand

The Ethnobotany of the Flathead Indians of Western Montana, Hart 1979, Harvard

The Family Guide to Self-Medication, Boericke & Tafel

The Foundations of Chinese Medicine, Giovanni Maciocia

The Herb Book, John Lust

The MacDonald Encyclopedia of Medicinal Plants, Roberto Chiej MacDonald

The New American Medical Dictionary and Health Manual

The New Holistic Herbal, David Hoffmann, Element, 1990

The Practice of Aromatherapy, Jean Valnet

The Saga of the Cat's Claw, Fernando Cabieses, Via Lactea, 1994

The Way of Herbs, Michael Tierra

The Wealth of India, 1948-1976, 11 Volumes, Council Sci. & Ind. Res., New Delhi

The Yoga of Herbs, David Frawley & Vasant Lad, Lotus Press, 1986

Therapeutic Herbalism, David Hoffmann

Three Annual compilations on Essential Oils, Lawrence, B.M.

Touting Tocopherol, Duke, J.A.

MEDICINAL PLANT NAMES - SAMPLE By Steve Blake, AHG, DSc, Master Herbalist Copyright 2004 Steve Blake Order from LifeLong Press, www.NaturalHealthWizards.com 44

Trees and Shrubs of Mexico, Standley, Paul C. Uncaria Tomentosa and Its Extracts..., Rizzi Et Al, Congreso Italia, 1992 USDA Agricultural handbook No. 8-14 Webster's New Collegiate Dictionary